

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: NEBuffer™ 3.1

Catalog Number: B7203S

Concentration: 10 X Concentrate

Packaging Lot Number: 10085491
Expiration Date: 10/2023
Storage Temperature: -20°C

Specification Version: PS-B7203S v1.0

Composition (1X): 100 mM NaCl, 50 mM Tris-HCl, 10 mM MgCl2, 100 μg/ml BSA, (pH 7.9 @

25°C)

NEBuffer™ 3.1 Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
B7203SVIAL	NEBuffer™ 3.1	10085493	Pass	

Assay Name/Specification	Lot # 10085491
Conductivity (buffers/solutions)	Pass
The conductivity of 10X NEBuffer 3.1 is between 84 and 101 mS at 25°C.	
Endonuclease Activity (Nicking, Buffer)	Pass
A 50 µl reaction in 1X NEBuffer 3.1 containing 1 µg of supercoiled PhiX174 DNA incubated for 4 hours at 37°C results in <10% conversion to the nicked form as	
determined by agarose gel electrophoresis.	
Functional Testing (Restriction Digest, Buffer)	Pass
A 50 µl reaction in 1X NEBuffer 3.1 containing 1 µg of pBC4 DNA and 1 unit of Notl	1 433
incubated for 1 hour at 37°C results in complete digestion of the substrate DNA as determined by agarose gel electrophoresis.	
determined by agarose ger electroprioresis.	
Functional Testing (Restriction Digest, Buffer)	Pass
A 50 µl reaction in 1X NEBuffer 3.1 containing 1 µg of Lambda DNA and 1 unit of Asel incubated for 1 hour at 37°C results in complete digestion of the substrate DNA as	
determined by agarose gel electrophoresis.	
Non-Specific DNase Activity (16 hour, Buffer)	Pass
A 50 µl reaction in 1X NEBuffer 3.1 containing 1 µg of PhiX174-HaeIII DNA incubated	
for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	



B7203S / Lot: 10085491

Page 1 of 2

Assay Name/Specification	Lot # 10085491
pH (buffers/solutions) The pH of 10X NEBuffer 3.1 is between pH 7.8 and 8.0 at 25°C.	Pass
RNase Activity (Buffer) A 10 µl reaction in 1X NEBuffer 3.1 containing 40 ng of a 300 base single-stranded RNA is incubated at 37°C. After incubation for 16 hours, >90% of the substrate RNA remains intact as determined by fluorescent detection.	Pass

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Production Scientist 19 Nov 2020

Michael Tonello

Packaging Quality Control Inspector

19 Nov 2020



B7203S / Lot: 10085491

Page 2 of 2