

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: ProtoScript® First Strand cDNA Synthesis Kit

Catalog Number: E6300S
Packaging Lot Number: 10142683
Expiration Date: 09/2023
Storage Temperature: -20°C

Specification Version: PS-E6300S/L v2.0

ProtoScript® First Strand cDNA Synthesis Kit Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
S1332AVIAL	Oligo d(T)23 VN	10130664	Pass	
S1330AVIAL	Random Primer Mix	10130663	Pass	
M0343AVIAL	M-MuLV Reaction Mix	10142685	Pass	
M0342AVIAL	M-MuLV Enzyme Mix	10142684	Pass	
B1502AVIAL	Nuclease-free Water	10137924	Pass	

Assay Name/Specification	Lot # 10142683
* Individual Product Component Note	Pass
Standard Quality Control Tests are performed for each component included in	
ProtoScript® First Strand cDNA Synthesis Kit and meet the designated specifications.	
Functional Testing (RT-PCR, Length)	Pass
The performance of M-MuLV Reaction Mix with 1X M-MuLV Enzyme Mix is tested in a 20	
μl RT reaction with 1 μg Human total RNA. The length of the product is verified by	
amplification of the p532 gene using 0.4 µl of the RT reaction and 35 cycles of PCR	
amplification resulting in the expected 5.5 kb product.	
Functional Testing (RT-PCR, Sensitivity)	Pass
The performance of M-MuLV Reaction Mix with 1X M-MuLV Enzyme Mix is tested in a 20	
μl RT reaction with 20 pg Human total RNA. The sensitivity of the product is	
verified by amplification of GAPDH using 0.4 µl of the RT reaction and 35 cycles of	
PCR amplification resulting in the expected product.	

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.



E6300S / Lot: 10142683

Page 1 of 2



Production Scientist 22 Mar 2022

Josh Hersey Packaging Quality Control Inspector

22 Mar 2022

E6300S / Lot: 10142683

Page 2 of 2