

SCOVERY 240 County Road
NUINE Ipswich, MA 01938-2723

Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: HaelII
Catalog Number: R0108L
Concentration: 10,000 U/ml

Unit Definition: One unit is defined as the amount of enzyme required to digest 1 µg

of Lambda DNA in 1 hour at 37°C in a total reaction volume of 50 μl.

Lot Number: 10055595
Expiration Date: 09/2021
Storage Temperature: -20°C

Storage Conditions: 50 mM KCl, 10 mM Tris-HCl (pH 7.4), 1 mM DTT, 0.1 mM EDTA, 50%

Glycerol, 200 μg/ml BSA

Specification Version: PS-R0108S/L v1.0

HaellI Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
R0108LVIAL	HaeIII	10055594	Pass	
B7204SVIAL	CutSmart® Buffer	10053981	Pass	
B7024SVIAL	Gel Loading Dye, Purple (6X)	10050274	Pass	

Assay Name/Specification	Lot # 10055595
Exonuclease Activity (Radioactivity Release) A 50 µl reaction in CutSmart™ Buffer containing 1 µg of a mixture of single and double-stranded [³H] E. coli DNA and a minimum of 100 units of HaeIII incubated for 4 hours at 37°C releases <0.1% of the total radioactivity.	Pass
Ligation and Recutting (Terminal Integrity) After a 20-fold over-digestion of Lambda DNA with HaeIII, >95% of the DNA fragments can be ligated with T4 DNA ligase in 16 hours at 16°C. Of these ligated fragments, >95% can be recut with HaeIII.	Pass
Non-Specific DNase Activity (16 Hour) A 50 µl reaction in CutSmart™ Buffer containing 1 µg of Lambda DNA and a minimum of 100 Units of HaeIII incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	Pass
Protein Purity Assay (SDS-PAGE) HaeIII is >95% pure as determined by SDS PAGE analysis using Coomassie Blue detection.	Pass



R0108L / Lot: 10055595

Page 1 of 2

This product has been tested and shown to be in compliance with all specifications.

Production Scientist

26 Aug 2019

Packaging Quality Control Inspector

07 Oct 2019

R0108L / Lot: 10055595

Page 2 of 2