

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: NEBNext® rRNA Depletion Kit (Bacteria)

Catalog Number: E7850L
Packaging Lot Number: 10169992
Expiration Date: 03/2024
Storage Temperature: -20°C

Specification Version: PS-E7850S/L/X v1.0

NEBNext® rRNA Depletion Kit (Bacteria) Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
E7851-3VIAL	NEBNext® Bacterial rRNA Depletion Solution	10141950	Pass	
E7753-3VIAL	NEBNext® DNase I	10141948	Pass	
E7752-3VIAL	NEBNext® Thermostable RNase H	10141949	Pass	
E6317-3VIAL	Nuclease-free Water	10141953	Pass	
E6315-3VIAL	DNase I Reaction Buffer	10141952	Pass	
E6314-3VIAL	NEBNext® Probe Hybridization Buffer	10141954	Pass	
E6312-3VIAL	RNase H Reaction Buffer	10141951	Pass	

Assay Name/Specification	Lot # 10169992
* Individual Product Component Note	Pass
Standard Quality Control Tests are performed for each component included in NEBNext®	
rRNA Depletion Kit (Bacteria) and meet the designated specifications.	
Functional Testing (rRNA Depletion)	Pass
NEBNext® rRNA Depletion Kit (Bacteria) is functionally validated using E. coli RNA	
and RNA from a mock bacterial community. After treatment with the kit, a	
high-throughput sequencing library is made and sequenced. Reads from this library	
are classified as being derived from ribosomal RNA based on sequence homology. This	
method produces libraries with <10% rRNA.	

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.



E7850L / Lot: 10169992

Page 1 of 2



240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

Christine Sumner Production Scientist 01 Nov 2022

Josh Hersey Packaging Quality Control Inspector

01 Nov 2022



E7850L / Lot: 10169992

Page 2 of 2