

be INSPIRED *drive* DISCOVERY *stay* GENUINE

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name:	Chitin Magnetic Beads
Catalog Number:	E8036S
Packaging Lot Number:	10069993
Expiration Date:	06/2022
Storage Temperature:	4°C
Specification Version:	PS-E8036S/L v1.0

Chitin Magnetic Beads Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
E8036SVIAL	Chitin Magnetic Beads	10045966	Pass

Assay Name/Specification	Lot # 10069993
Binding Capacity (Magnetic Beads) Chitin Magnetic Beads (25μ I) were equilibrated and incubated with 500 µI of crude extract from E. coli containing a plasmid that expresses a SNAP-intein-chitin binding domain fusion protein for 1 hour at 25°C, then washed and the intein cleaved and target eluted. Binding capacity was determined to be >2 mg of target protein per mI of bed volume.	Pass
Functional Binding Assay (Qualitative) Chitin Magnetic Beads (25 µl) were equilibrated and incubated with 500 µl of crude extract from E. coli containing a plasmid that expresses a SNAP-intein-chitin binding domain fusion protein for 1 hour at 25°C, then washed, eluted and evaluated by Tris-Glycine gel to confirm low non-specific binding of extract proteins and high isolation of target.	Pass

This product has been tested and shown to be in compliance with all specifications.





be INSPIRED *drive* DISCOVERY *stay* GENUINE

240 County Road Ipswich, MA 01938-2723

Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

grd

Brad Landgraf Production Scientist 12 Jun 2019

Josh Hersey Packaging Quality Control Inspector

31 Mar 2020

