

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

| Product Name: | Quick-Load® 2-Log DNA Ladder(0.1-10.0 kb) |
|------------------------|--|
| Catalog #: | N0469S/L |
| Concentration: | 100 μg/ml |
| Unit Definition: | N/A |
| Lot #: | 0271612 |
| Assay Date: | 12/2016 |
| Expiration Date: | 12/2018 |
| Storage Temp: | 4°C |
| Storage Conditions: | 3.3 mM Tris-HCl (pH 8.0), 11 mM EDTA , 0.015 % Bromophenol Blue , 0.017 % SDS , 2.5 % Ficoll 400 |
| Specification Version: | PS-N0469S/L v1.0 |
| Effective Date: | 04 Mar 2016 |

| Assay Name/Specification (minimum release criteria) | Lot #0271612 |
|--|--------------|
| DNA Concentration (A260) - The concentration of Quick-Load \mathbb{R} 2-Log DNA Ladder(0.1-10.0 kb) is between 100 and 110 μ g/ml as determined by UV absorption at 260 nm. | Pass |
| Electrophoretic Pattern (Marker) - The banding pattern of Quick-Load $\mbox{\ensuremath{\mathbb{R}}}$ 2-Log DNA Ladder(0.1-10.0 kb) on a 1.2% agarose gel shows discrete, clearly identifiable bands at each band of the marker, when stained with Ethidium Bromide at a concentration of 0.5 μ g/ml. | Pass |
| Non-Specific DNase Activity (DNA, 16 hour) - A 50 µl reaction in 1X NEBuffer 2 containing 5 µg of Quick-Load® 2-Log DNA Ladder(0.1-10.0 kb) incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis. | Pass |

otunen

Authorized by Derek Robinson 04 Mar 2016



Mulhicehite

Inspected by Vanessa Mathieu-Sheltry 13 Dec 2016