

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

## New England Biolabs Certificate of Analysis

Product Name:	TriDye™ 2-Log DNA Ladder (0.1 - 10.0 kb)
Catalog #:	N3270S
Concentration:	100 µg/ml
Unit Definition:	N/A
<i>Lot</i> #:	0111608
Assay Date:	08/2016
Expiration Date:	8/2018
Storage Temp:	4°C
Storage Conditions:	0.006 % Xylene cyanol , 10 mM Tris-HCl (pH 7.9), 10 mM EDTA , 10 % Glycerol , 0.006 % Bromophenol Blue , 0.06 % Orange G
Specification Version:	PS-N3270S v1.0
Effective Date:	24 Apr 2015

Assay Name/Specification (minimum release criteria)	Lot #0111608
<b>DNA Concentration (A260)</b> - The concentration of TriDye <sup>™</sup> 2-Log DNA Ladder (0.1 - 10.0 kb) is between 100 and 110 µg/ml as determined by UV absorption at 260 nm.	Pass
<b>Electrophoretic Pattern (Marker)</b> - The banding pattern of TriDye <sup>TM</sup> 2-Log DNA Ladder (0.1 - 10.0 kb) on a 1.2% agarose gel shows discrete, clearly identifiable bands at each band of the marker, when stained with Ethidium Bromide at a concentration of 0.5 $\mu$ g/ml.	Pass
<b>Non-Specific DNase Activity (DNA, 16 hour)</b> - A 50 $\mu$ l reaction in 1X NEBuffer 2 containing 5 $\mu$ g of TriDye <sup>TM</sup> 2-Log DNA Ladder (0.1 - 10.0 kb) incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	Pass

otunen

Authorized by Derek Robinson 24 Apr 2015



Mulhicehite

Inspected by Vanessa Mathieu-Sheltry 13 Sep 2016