

New England Biolabs Certificate of Analysis


Product Name: *dam-/dcm- Competent E. coli*
 Catalog Number: C2925H
 Lot Number: 10042684
 Expiration Date: 04/2020
 Storage Temperature: -80°C
 Specification Version: PS-C2925H/I v1.0

dam-/dcm- Competent E. coli Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
N3041AVIAL	pUC19 Vector	10035844	Pass
C2925HVIAL	dam ⁻ /dcm ⁻ Competent E. coli	10014885	Pass
B9020SVIAL	SOC Outgrowth Medium	10032898	Pass


Assay Name/Specification	Lot # 10042684
<p>Antibiotic Sensitivity (Kanamycin) 15 µl of untransformed dam-/dcm- Competent E. coli streaked onto a Rich Broth plate containing Kanamycin will not form colonies after incubation for 16 hours at 37°C.</p>	Pass
<p>Antibiotic Sensitivity (Spectinomycin) 15 µl of untransformed dam-/dcm- Competent E. coli streaked onto a Rich Broth plate containing Spectinomycin will not form colonies after incubation for 16 hours at 37°C.</p>	Pass
<p>Antibiotic Sensitivity (Tetracycline) 15 µl of untransformed dam-/dcm- Competent E. coli streaked onto a Rich Broth plate containing Tetracycline will not form colonies after incubation for 16 hours at 37°C.</p>	Pass
<p>Phage Resistance (φ 80) 15 µl of untransformed dam-/dcm- Competent E. coli streaked onto a Rich Broth plate does not support plaque formation by phage φ 80 after incubation for 16 hours at 37°C.</p>	Pass
<p>Transformation Efficiency 50 µl of dam-/dcm- Competent E. coli cells were transformed with 100 pg of pUC19 DNA using the transformation protocol provided. Incubation overnight on LB-Ampicillin plates at 37°C resulted in >1 x 10⁶ cfu/µg of DNA.</p>	Pass

Assay Name/Specification	Lot # 10042684
<p>Antibiotic Resistance (Chloramphenicol) 15 µl of untransformed dam-/dcm- Competent E. coli streaked onto a Rich Broth plate containing Chloramphenicol will form colonies after incubation for 16 hours at 37°C.</p>	Pass
<p>Antibiotic Resistance (Nitrofurantoin) 15 µl of untransformed dam-/dcm- Competent E. coli streaked onto a Rich Broth plate containing Nitrofurantoin will form colonies after incubation for 16 hours at 37°C.</p>	Pass
<p>Antibiotic Resistance (Streptomycin) 15 µl of untransformed dam-/dcm- Competent E. coli streaked onto a Rich Broth plate containing Streptomycin will form colonies after incubation for 16 hours at 37°C.</p>	Pass
<p>Antibiotic Sensitivity (Ampicillin) 15 µl of untransformed dam-/dcm- Competent E. coli streaked onto a Rich Broth plate containing Ampicillin will not form colonies after incubation for 16 hours at 37°C.</p>	Pass

This product has been tested and shown to be in compliance with all specifications.



Lixin An
Production Scientist
13 Jul 2018



Corey Rabeau
Packaging Quality Control Inspector
11 Apr 2019