

## New England Biolabs Certificate of Analysis


Product Name: NEB® Golden Gate Assembly Kit (BsmBI-v2)  
 Catalog Number: E1602S  
 Packaging Lot Number: 10092406  
 Expiration Date: 11/2022  
 Storage Temperature: -20°C  
 Specification Version: PS-E1602S/L v2.0

NEB® Golden Gate Assembly Kit (BsmBI-v2) Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
N0309AAVIAL	pGGAselect Destination Plasmid	10087459	Pass
M2617AVIAL	NEB® Golden Gate Enzyme Mix (BsmBI-v2)	10087600	Pass
B0202AVIAL	T4 DNA Ligase Reaction Buffer	10082742	Pass

Assay Name/Specification	Lot # 10092406
<p><b>* Individual Product Component Note</b>            Standard Quality Control Tests are performed for each component included in NEB® Golden Gate Assembly Kit (BsmBI-v2) and meet the designated specifications.</p> <p><b>Functional Testing (Golden Gate Assembly)</b>            A 20 µl reaction containing 1X T4 DNA Ligase Buffer, 75 ng pGGAselect (Golden Gate destination plasmid, CamR), 75 ng each of 5 plasmids carrying fragments of a gene cassette encoding lacZ and 1 µl Golden Gate Enzyme Mix (BsmBI-v2) containing T4 DNA Ligase and BsmBI-v2 is incubated for 30 cycles of 42°C for 1 minute, 16°C for 1 minute, then at 60°C for 5 minutes. Successfully assembled fragments result in functional lacZ gene expression in pGGAselect vector and yield blue colonies on an IPTG/Xgal/Chloramphenicol plate. Transformation of T7 Express Competent E. coli (High Efficiency) (NEB #C2566) with 2 µl of the assembly reaction yields &gt;250 colonies and &gt;80% blue colonies when 5% of the outgrowth is spread on an IPTG/Xgal/Chloramphenicol plate and incubated overnight at 37°C.</p>	<p>Pass</p> <p>Pass</p>

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit [www.neb.com/trademarks](http://www.neb.com/trademarks) for additional information.



---

Ana Egana  
Production Scientist  
09 Dec 2020



---

Michael Tonello  
Packaging Quality Control Inspector  
09 Dec 2020