

## New England Biolabs Certificate of Analysis

Product Name: NEBNext® Library Quant Kit for Illumina®  
 Catalog Number: E7630L  
 Lot Number: 10045807  
 Expiration Date: 04/2021  
 Storage Temperature: -20°C  
 Specification Version: PS-E7630S/L v1.0

NEBNext® Library Quant Kit for Illumina® Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
E7641AAVIAL	ROX (High)	10042120	Pass
E7640AAVIAL	NEBNext® Library Quant Master Mix	10042113	Pass
E7639AAVIAL	NEBNext® Library Quant Primer Mix	10042114	Pass
E7638AAVIAL	ROX (Low)	10042121	Pass
E7637AAVIAL	NEBNext® Library Quant DNA Standard 4	10042119	Pass
E7636AAVIAL	NEBNext® Library Quant DNA Standard 3	10042118	Pass
E7635AAVIAL	NEBNext® Library Quant DNA Standard 2	10042117	Pass
E7634AAVIAL	NEBNext® Library Quant DNA Standard 1	10042116	Pass
E7633AAVIAL	NEBNext® Library Dilution Buffer	10042115	Pass

Assay Name/Specification	Lot # 10045807
<p><b>* Individual Product Component Note</b>            Standard Quality Control Tests are performed for each component included in NEBNext® Library Quant Kit for Illumina® and meet the designated specifications.</p>	Pass
<p><b>Functional Testing (qPCR, Standard Curve)</b>            NEBNext® Library Quant Kit for Illumina® is functionally tested with qPCR using the following criteria for PCR efficiency, fluorescence values, and no-template control (NTC) amplification. Five, 20 µl reactions are run in triplicate in 1X NEBNext® Library Quant Master Mix and 1X NEBNext® Library Quant Primer Mix containing NEBNext® Library Quant DNA Standards 1-4 and a no-template control for 35 cycles of PCR amplification, resulting in a standard curve with a calculated PCR efficiency of 90-100% and a no-template control threshold cycle of &gt;30 Cq.</p>	Pass

This product has been tested and shown to be in compliance with all specifications.

*Christine Sumner*

---

Christine Sumner  
Production Scientist  
16 May 2019

*Michael Tonello*

---

Michael Tonello  
Packaging Quality Control Inspector  
16 May 2019