240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

## New England Biolabs Certificate of Analysis

Product Name: Taq DNA Ligase
Catalog #: M0208S/L
Concentration: 40,000 units/ml

Unit Definition: One unit is defined as the amount of enzyme required to give 50% ligation of the 12-base pair cohesive ends of 1 µg of BstEII-

digested Lambda DNA in a total reaction volume of 50 µl in 15 minutes at 45°C.

 Lot #:
 0101602

 Assay Date:
 02/2016

 Expiration Date:
 2/2018

 Storage Temp:
 -20°C

Storage Buffer: 50 mM KCl , 10 mM Tris-HCl (pH 7.4), 1 mM DTT , 0.1 mM EDTA , 50 % Glycerol , 200 ·g/ml BSA

Specification Version: PS-M0208S/L v1.0
Effective Date: 16 Jun 2015

Assay Name/Specification (minimum release criteria)	Lot #0101602
Endonuclease Activity (Nicking) - A 50 $\mu$ l reaction in NEBuffer 4 containing 1 $\mu$ g of supercoiled PhiX174 DNA and a minimum of 1000 units of $Taq$ DNA Ligase incubated for 4 hours at 37°C results in <10% conversion to the nicked form as determined by agarose gel electrophoresis.	Pass
<b>Exonuclease Activity (Radioactivity Release)</b> - A 50 μl reaction in <i>Taq</i> DNA Ligase Reaction Buffer containing 1 μg of a mixture of single and double-stranded [ <sup>3</sup> H] <i>E. coli</i> DNA and a minimum of 1000 units of <i>Taq</i> DNA Ligase incubated for 4 hours at 37°C releases <0.1% of the total radioactivity.	Pass
<b>Non-Specific DNase Activity (16 Hour)</b> - A 50 μl reaction in NEBuffer 4 containing 1 μg of Lambda- HindIII DNA and a minimum of 40 units of <i>Taq</i> DNA Ligase incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	Pass

<sup>\*</sup> The BSA in this product has been granted an EDQM "Certificate of Suitability" from the European Directorate for the Quality of Medicines (# R1-CEP-2003-204-Rev00) and has been granted a USDA Certificate for Export of Bovine Blood Plasma/Serum for Manufacture into Pharmaceutical Products.

Authorized by Derek Robinson 16 Jun 2015







Inspected by Mary Lorenzen 05 Feb 2016