

New England Biolabs Certificate of Analysis

Product Name: Random Primer Mix
Catalog Number: S1330S
Concentration: 60 μ M
Packaging Lot Number: 10104362
Expiration Date: 02/2024
Storage Temperature: -20°C
Specification Version: PS-S1330S v2.0
Composition (1X): 1 mM dATP, 1 mM dCTP, 1 mM dGTP, 1 mM dTTP, 35 μ M Hexamers, 25 μ M dT(23)VN supplied in ultrapure water.

Random Primer Mix Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
S1330SVIAL	Random Primer Mix	10099159	Pass

Assay Name/Specification	Lot # 10104362
Non-Specific DNase Activity (16 Hour) A 50 μ l reaction in NEBuffer 2 containing 1 μ g of T3 or T7 DNA in addition to a reaction containing Lambda-HindIII DNA and a minimum of 5 μ l of Random Primer Mix incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	Pass
Phosphatase Activity (pNPP) A 200 μ l reaction in 1M Diethanolamine, pH 9.8, 0.5 mM MgCl ₂ containing 2.5 mM p-Nitrophenyl Phosphate (pNPP) and a minimum of 20 μ l of Random Primer Mix incubated for 4 hours at 37°C yields <0.0001 unit of alkaline phosphatase activity as determined by spectrophotometric analysis.	Pass
RNase Activity (Extended Digestion) A 10 μ l reaction in NEBuffer 4 containing 40 ng of a 300 base single-stranded RNA and a minimum of 1 μ l of Random Primer Mix is incubated at 37°C. After incubation for 16 hours, >90% of the substrate RNA remains intact as determined by gel electrophoresis using fluorescent detection.	Pass
Endonuclease Activity (Nicking) A 25 μ l reaction in NEBuffer 2 containing 1 μ g of supercoiled PhiX174 DNA and a minimum of 5 μ l of Random Primer Mix incubated for 4 hours at 37°C results in <10% conversion to the nicked form as determined by agarose gel electrophoresis.	Pass

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.



Christie Vazquez
Production Scientist
23 Mar 2021



Michael Tonello
Packaging Quality Control Inspector
23 Mar 2021