

DNase I Reaction Buffer



1-800-632-7799
info@neb.com
www.neb.com



B0303S 001130316031

B0303S

6.0 ml DNase I Reaction Buffer (10X)

Store at -20°C Lot: 0011303 Exp: 3/16

Description: New England Biolabs supplies a 10X reaction buffer with all of its enzymes. At a 1X concentration this reaction buffer assures optimal activity of the enzyme.

1X DNase I Reaction Buffer:

10 mM Tris-HCl
2.5 mM MgCl₂
0.5 mM CaCl₂
pH 7.6 @ 25°C

Quality Control Assays

RNase Activity: Incubation of this reaction buffer at 1X concentration with 100 units of DNase I and 10 µg of double-stranded RNA Ladder for 2 hours at 37°C resulted in the same electrophoretic profile as untreated RNA. Incubation of this reaction buffer at 1X concentration with 2 units of DNase I and 10 µg of single-stranded RNA Ladder for 1 hour at 37°C resulted in the same electrophoretic profile as untreated RNA.

CERTIFICATE OF ANALYSIS

DNase I Reaction Buffer



1-800-632-7799
info@neb.com
www.neb.com



B0303S 001130316031

B0303S

6.0 ml DNase I Reaction Buffer (10X)

Store at -20°C Lot: 0011303 Exp: 3/16

Description: New England Biolabs supplies a 10X reaction buffer with all of its enzymes. At a 1X concentration this reaction buffer assures optimal activity of the enzyme.

1X DNase I Reaction Buffer:

10 mM Tris-HCl
2.5 mM MgCl₂
0.5 mM CaCl₂
pH 7.6 @ 25°C

Quality Control Assays

RNase Activity: Incubation of this reaction buffer at 1X concentration with 100 units of DNase I and 10 µg of double-stranded RNA Ladder for 2 hours at 37°C resulted in the same electrophoretic profile as untreated RNA. Incubation of this reaction buffer at 1X concentration with 2 units of DNase I and 10 µg of single-stranded RNA Ladder for 1 hour at 37°C resulted in the same electrophoretic profile as untreated RNA.

CERTIFICATE OF ANALYSIS