

Blue Loading Buffer Pack



1-800-632-7799
info@neb.com
www.neb.com



B7703S 022160219021

B7703S

Lot: 0221602

Exp: 2/19

Blue Loading Buffer Reagents

3X SDS Blue Loading Buffer (8 ml):
187.5 mM Tris-HCl (pH 6.8 @ 25°C), 6% (w/v)
SDS, 30% glycerol and 0.03% (w/v) bromophenol
blue. (Store at room temperature)

30X Reducing Agent (1 ml): 1.25 M DTT
(Store at -20°C)

Reagents Stored at Different Temperatures

Blue Loading Buffer Pack



1-800-632-7799
info@neb.com
www.neb.com



B7703S 022160219021

B7703S

Lot: 0221602

Exp: 2/19

Blue Loading Buffer Reagents

3X SDS Blue Loading Buffer (8 ml):
187.5 mM Tris-HCl (pH 6.8 @ 25°C), 6% (w/v)
SDS, 30% glycerol and 0.03% (w/v) bromophenol
blue. (Store at room temperature)

30X Reducing Agent (1 ml): 1.25 M DTT
(Store at -20°C)

Reagents Stored at Different Temperatures

Notes On Use:

1. Prepare fresh 3X Reducing Blue Loading Buffer by adding 1/10 volume 30X Reducing Agent to 1 volume of 3X Blue Loading Buffer.
2. Prepare samples by adding 1/2 volume of 3X Reducing Blue Loading Buffer (from step 1).
3. Heat samples to 95–100°C for 3–5 minutes.
4. After a quick microcentrifuge spin, load directly on to a gel. To ensure uniform mobility, load an equal volume of 1X Reducing Blue Loading Buffer into any unused wells.



NEW ENGLAND BIOLABS® is a registered trademark of New England Biolabs, Inc.

This product is intended for research purposes only. This product is not intended to be used for therapeutic or diagnostic purposes in humans or animals.

Notes On Use:

1. Prepare fresh 3X Reducing Blue Loading Buffer by adding 1/10 volume 30X Reducing Agent to 1 volume of 3X Blue Loading Buffer.
2. Prepare samples by adding 1/2 volume of 3X Reducing Blue Loading Buffer (from step 1).
3. Heat samples to 95–100°C for 3–5 minutes.
4. After a quick microcentrifuge spin, load directly on to a gel. To ensure uniform mobility, load an equal volume of 1X Reducing Blue Loading Buffer into any unused wells.



NEW ENGLAND BIOLABS® is a registered trademark of New England Biolabs, Inc.

This product is intended for research purposes only. This product is not intended to be used for therapeutic or diagnostic purposes in humans or animals.

CERTIFICATE OF ANALYSIS

CERTIFICATE OF ANALYSIS