

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: Blue Loading Buffer Pack

Catalog Number: B7703S

Lot Number: 10028846

Expiration Date: 02/2021

Storage Temperature: -20°C

Specification Version: PS-B7703S v1.0

Composition (1X): 187.5 mM Tris-HCl, 6 % (w/v) SDS, 30 % Glycerol, 0.03 % Bromophenol

Blue, (pH 6.8 @ 25°C)

Blue Loading Buffer Pack Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
B7705SVIAL	30X Reducing Agent	0091802	Pass	
B7703SVIAL	Blue Loading Buffer Pack	10027757	Pass	

Assay Name/Specification	Lot # 10028846
Electrophoretic Pattern The components of the Blue Loading Buffer Pack are tested to ensure the banding pattern of an NEB protein ladder on a 10-20% Tris-Glycine gel shows discrete, clearly identifiable bands at each size fragment of the marker when stained with Coomassie Blue at a concentration of 0.1%.	Pass
Endonuclease Activity (Nicking) A 50 μl reaction in CutSmart® Buffer containing 1 μg of supercoiled PhiX174 DNA and a minimum of 10 μl of Blue Loading Buffer incubated for 4 hours at 37°C results in <10% conversion to the nicked form as determined by agarose gel electrophoresis.	Pass
Non-Specific DNase Activity (16 Hour) A 50 μl reaction in CutSmart® Buffer containing 1 μg of 1 kb Plus DNA Ladder DNA and a minimum of 5 μl of Blue Loading Buffer incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	Pass
RNase Activity (Extended Digestion) A 10 µl reaction in NEBuffer 4 containing 40 ng of a 300 base single-stranded RNA and a minimum of 1 µl of Blue Loading Buffer is incubated at 37°C. After incubation for 16 hours, >90% of the substrate RNA remains intact as determined by gel electrophoresis using fluorescent detection.	Pass



B7703S / Lot: 10028846

Page 1 of 2

This product has been tested and shown to be in compliance with all specifications.

Tony Spear-Alfonso Production Scientist

15 Nov 2018

Michael Tonello

Packaging Quality Control Inspector

16 Nov 2018

B7703S / Lot: 10028846

Page 2 of 2