

be INSPIRED *drive* DISCOVERY *stay* GENUINE

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name:	S-adenosylmethionine (SAM)
Catalog Number:	B9003S
Concentration:	32 mM
Packaging Lot Number:	10144737
Expiration Date:	01/2023
Storage Temperature:	-20°C
Specification Version:	PS-B9003S v1.0
Composition (1X):	0.005 M Sulfuric Acid, 10 % Ethanol

S-adenosylmethionine (SAM) Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
B9003SVIAL	S-adenosylmethionine (SAM)	10144736	Pass	

Assay Name/Specification	Lot # 10144737
Restriction Digest (CpG Resistant, SAM) A 20 μ I reaction in 1X NEBuffer 2 containing 1 μ g of Lambda DNA, 1 unit of M. SssI (CpG Methyltransferase), and 160 μ M S-adenosylmethionine (SAM) is incubated for 1 hour at 37°C. The resulting DNA is resistant to digestion with BstUI as determined by agarose gel electrophoresis.	Pass
Non-Specific DNase Activity (16 Hour) A 50 µl reaction in NEBuffer 2 containing 1 µg of PhiX174-HaeIII DNA and a minimum of 5 µl of S-adenosylmethionine (SAM) incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	Pass
Endonuclease Activity (Nicking) A 50 µl reaction in NEBuffer 2 containing 1 µg of supercoiled PhiX174 DNA and a minimum of 5 µl of S-adenosylmethionine (SAM) incubated for 4 hours at 37°C results in <20% conversion to the nicked form as determined by agarose gel electrophoresis.	Pass

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.





be INSPIRED drive DISCOVERY stay GENUINE

240 County Road Ipswich, MA 01938-2723

Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

Bu Rear

Ben Penta Production Scientist 16 May 2022

Erin Varney

Packaging Quality Control Inspector 16 May 2022

