

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: HiScribe® T7 High Yield RNA Synthesis Kit

Catalog Number: E2040S
Packaging Lot Number: 10179975
Expiration Date: 08/2024
Storage Temperature: -20°C

Specification Version: PS-E2040S v1.0

HiScribe® T7 High Yield RNA Synthesis Kit Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
N0454AVIAL	CTP Solution	10168000	Pass	
N0453AVIAL	UTP Solution	10167999	Pass	
N0452AVIAL	GTP Solution	10167998	Pass	
N0451AVIAL	ATP Solution	10167997	Pass	
N0426AVIAL	Fluc Control Template	10178241	Pass	
M0255AVIAL	T7 RNA Polymerase Mix	10178042	Pass	
B2041AVIAL	10X T7 Reaction Buffer	10167655	Pass	

Assay Name/Specification	Lot # 10179975
* Individual Product Component Note	Pass
Standard Quality Control Tests are performed for each component included in	
HiScribe® T7 High Yield RNA Synthesis Kit and meet the designated specifications.	
Functional Testing (RNA Synthesis, Yield)	Pass
A 20 µl reaction in 1X T7 Reaction Buffer in the presence of 40 mM NTPs containing 1	
μg FLuc Control Template with 2 μl of the T7 RNA Polymerase Mix incubated for 2	
hours at 37°C results in a minimum of 150 µg of a 1.8 kb RNA as determined by OD 260	
and agarose gel electrophoresis.	

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.



E2040S / Lot: 10179975

Page 1 of 2

Dongxian Yue **Production Scientist** 08 Feb 2023

Josh Hersey Packaging Quality Control Inspector

14 Feb 2023

E2040S / Lot: 10179975

Page 2 of 2