

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: NEBNext Single Cell/Low Input cDNA Synthesis and Amplification

Module

Catalog Number: E6421L
Packaging Lot Number: 10128248
Expiration Date: 08/2022
Storage Temperature: -20°C

Specification Version: PS-E6421S/L v1.0

NEBNext Single Cell/Low Input cDNA Synthesis and Amplification Module Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
E6433AAVIAL	Nuclease-free Water	10116908	Pass
E6432AAVIAL	TE Buffer	10116907	Pass
E6430AAVIAL	NEBNext® Bead Reconstitution Buffer	10116906	Pass
E6429AAVIAL	Murine RNase Inhibitor	10116905	Pass
E6428AAVIAL	NEBNext® Cell Lysis Buffer	10116904	Pass
E6427AAVIAL	NEBNext® Single Cell cDNA PCR Primer	10116903	Pass
E6426AAVIAL	NEBNext® Single Cell cDNA PCR Master Mix	10116902	Pass
E6425AAVIAL	NEBNext® Single Cell RT Enzyme Mix	10116901	Pass
E6424AAVIAL	NEBNext® Template Switching Oligo	10116900	Pass
E6423AAVIAL	NEBNext® Single Cell RT Buffer	10116899	Pass
E6422AAVIAL	NEBNext® Single Cell RT Primer Mix	10116898	Pass

Assay Name/Specification	Lot # 10128248
Functional Testing (Library Construction, Single Cell RNA) Each set of reagents is functionally validated and compared to a previous lot through construction of libraries made from single cells and commercially available RNA using the kit's minimum and maximum input requirements. Libraries made from previous and current lots are sequenced together on the same Illumina flow cell and compared across various metrics including library yield, individual transcript abundance, 5'-3' transcript coverage, percent ribosomal RNA, and fraction of reads mapping to a reference.	Pass
* Individual Product Component Note Standard Quality Control Tests are performed for each component included in NEBNext® Single Cell/Low Input cDNA Synthesis & Amplification Module and meet the designated specifications.	Pass



E6421L / Lot: 10128248

Page 1 of 2



This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Christine Sumner Production Scientist

10 Nov 2021

Michael Tonello

Packaging Quality Control Inspector

10 Nov 2021