

be INSPIRED *drive* DISCOVERY *stay* GENUINE

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

| Product Name: | NEBNext® Ultra™ II FS DNA Library Prep Kit for Illumina® |
|--|--|
| Catalog Number: | E7805S |
| Lot Number: | 10014555 |
| Expiration Date: | 06/2019 |
| Storage Temperature: | -20°C |
| Specification Version: | PS-E7805S/L v1.0 |
| Expiration Date: Storage Temperature: | 06/2019 -20°℃ |

| NEBNext® Ultra™ II FS DNA Library Prep Kit for Illumina® Component List | | | | |
|---|--|------------|----------------------|--|
| NEB Part Number | Component Description | Lot Number | Individual QC Result | |
| E7808AVIAL | TE Buffer | 10014561 | Pass | |
| E7807AVIAL | NEBNext® Ultra™ II FS Reaction Buffer | 10014560 | Pass | |
| E7806AVIAL | NEBNext® Ultra™ II FS Enzyme Mix | 10014559 | Pass | |
| E7649AVIAL | NEBNext® Ultra™ II Q5® Master Mix | 10014558 | Pass | |
| E7648AVIAL | NEBNext® Ultra™ II Ligation Master Mix | 10014557 | Pass | |
| E7374AVIAL | NEBNext® Ligation Enhancer | 10014556 | Pass | |

| Assay Name/Specification | Lot # 10014555 |
|--|----------------|
| * Individual Product Component Note Standard Quality Control Tests are performed for each component included in NEBNext® Ultra™ II FS DNA Library Prep Kit for Illumina® and meet the designated specifications. | Pass |
| Functional Testing (Library Construction, FS DNA) Each set of reagents is functionally validated and compared to the previous lot through construction of libraries made from commercially available genomic DNA, using the kit's minimum and maximum input requirements. A fragmentation time of 20 minutes was used to generate an insert size of approximately 200 bp. The final average library size is between 270 and 450 bp as determined by an Agilent Bioanalyzer. Libraries made from the previous and current lots for both input DNA amounts are sequenced together on the same Illumina flow cell and compared across various metrics including library yield, fraction of reads aligning to the reference, GC bias, and insert size. | Pass |

This product has been tested and shown to be in compliance with all specifications.





be INSPIRED drive DISCOVERY stay GENUINE

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

notin-

Christine Sumner Production Scientist 22 Oct 2018

Michae on. V

Michael Tonello Packaging Quality Control Inspector 22 Oct 2018

