240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: Deep Vent® DNA Polymerase

Catalog #: M0258S/L
Concentration: 2,000 units/ml

Unit Definition: One unit is defined as the amount of enzyme that will incorporate 10 nmol of dNTP into acid insoluble material in 30 minutes

at 75°C.

 Lot #:
 0181712

 Assay Date:
 12/2017

 Expiration Date:
 12/2019

 Storage Temp:
 -20°C

Storage Conditions: 10~mM~Tris-HCl~,~100~mM~KCl~,~1~mM~DTT~,~0.1~mM~EDTA~,~0.1~%~Triton & X-100~,~50~%~Glycerol~,~(pH~7.4~@~25°)

C)

Specification Version: PS-M0258S/L v1.0
Effective Date: 22 Apr 2016

| Assay Name/Specification (minimum release criteria) | Lot #0181712 |
|---|--------------|
| Endonuclease Activity (Nicking, Polymerase, dNTP) - A 50 μl reaction in ThermoPol® Reaction Buffer in the presence of 400 μM dNTPs containing 1 μg of supercoiled PhiX174 DNA and a minimum of 20 units of Deep Vent TM DNA Polymerase incubated for 4 hours at 37°C results in <10% conversion to the nicked form as determined by agarose gel electrophoresis. | Pass |
| PCR Amplification (2.0 kb Lambda DNA) - A 25 μ l reaction in ThermoPol® Reaction Buffer in the presence of 200 μ M dNTPs and 0.2 μ M primers containing 5 ng Lambda DNA with 0.5 units of Deep Vent TM DNA Polymerase for 30 cycles of PCR amplification results in the expected 2.0 kb product. | Pass |
| Phosphatase Activity (pNPP) - A 200 μl reaction in 1M Diethanolamine, pH 9.8, 0.5 mM MgCl ₂ containing 2.5 nM <i>p</i> -Nitrophenyl Phosphate (pNPP) and a minimum of 100 units Deep Vent TM DNA Polymerase incubated for 4 hours at 37°C yields <0.0001 unit of alkaline phosphatase activity as determined by spectrophotometric analysis. | Pass |
| Protein Purity Assay (SDS-PAGE) - Deep Vent [™] DNA Polymerase is ≥ 98% pure as determined by SDS-PAGE analysis using Coomassie Blue detection. | Pass |
| qPCR DNA Contamination (<i>E. coli</i> Genomic) - A minimum of 2 units of Deep Vent TM DNA Polymerase is screened for the presence of <i>E. coli</i> genomic DNA using SYBR® Green qPCR with primers specific for the <i>E. coli</i> 16S rRNA locus. Results are quantified using a standard curve generated from purified <i>E. coli</i> genomic DNA. The measured level of <i>E. coli</i> genomic DNA contamination is ≤ 1 <i>E. coli</i> genome. | Pass |









New England Biolabs Certificate of Analysis

| Assay Name/Specification (minimum release criteria) | Lot #0181712 |
|---|--------------|
| RNase Activity (Extended Digestion) - A 10 μ l reaction in NEBuffer 4 containing 40 ng of a 300 base single-stranded RNA and a minimum of 1 μ l of Deep Vent TM DNA Polymerase is incubated at 37°C. After incubation for 16 hours, >90% of the substrate RNA remains intact as determined by gel electrophoresis using fluorescent detection. | Pass |

Authorized by Melanie Fortier 22 Apr 2016







Inspected by
Tony Spear-Alfonso
09 Jan 2018