

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: EnGen® Sau Cas9

Catalog Number: M0654T
Concentration: 20 µM
Packaging Lot Number: 10102993
Expiration Date: 03/2023
Storage Temperature: -20°C

Storage Conditions: 20 mM Tris-HCl, 300 mM NaCl, 0.1 mM TCEP, 50% Glycerol, (pH 7.5 @

25°)

Specification Version: PS-M0654T v1.0

EnGen® Sau Cas9 Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
M0654TVIAL	EnGen® Sau Cas9	10102994	Pass	
B6003SVIAL	NEBuffer™ r3.1	10102967	Pass	

Assay Name/Specification	Lot # 10102993
Endonuclease Activity (Nicking) A 50 μl reaction in NEBuffer 3.1 containing 1 μg of supercoiled PhiX174 DNA and a minimum of 1 pmol of EnGen® Sau Cas9 incubated for 4 hours at 37°C results in <10% conversion to the nicked form as determined by agarose gel electrophoresis.	Pass
Exonuclease Activity (Radioactivity Release) A 50 µl reaction in NEBuffer 3.1 containing 1 µg of a mixture of single and double-stranded [³H] E. coli DNA and a minimum of 1 pmol of EnGen® Sau Cas9 incubated for 4 hours at 37°C releases <0.1% of the total radioactivity.	Pass
Non-Specific DNase Activity (16 Hour) A 50 µl reaction in NEBuffer 3.1 containing 1 µg of Lambda DNA and a minimum of 1 pmol of EnGen® Sau Cas9 incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	Pass
Protein Purity Assay (SDS-PAGE) EnGen® Sau Cas9 is ≥ 95% pure as determined by SDS-PAGE analysis using Coomassie Blue detection.	Pass
RNase Activity (Extended Digestion) A 10 µl reaction in NEBuffer 4 containing 40 ng of a 300 base single-stranded RNA	Pass



M0654T / Lot: 10102993

Page 1 of 2

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Bhairavi Jani Production Scientist

determined by capillary electrophoresis.

01 Apr 2021

Josh Hersey

Packaging Quality Control Inspector

01 Apr 2021



M0654T / Lot: 10102993

Page 2 of 2