

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

## New England Biolabs Certificate of Analysis

Product Name: Luna® Probe One-Step RT-qPCR 4X Mix with UDG

Catalog Number: M3019L

Concentration: 4 X Concentrate

Packaging Lot Number: 10169250
Expiration Date: 08/2023
Storage Temperature: -20°C

Specification Version: PS-M3019S/L/X v1.0

Composition (1X): Proprietary

Luna® Probe One-Step RT-qPCR 4X Mix with UDG Component List				
<b>NEB Part Number</b>	Component Description	Lot Number	Individual QC Result	
M3019LVIAL	Luna® Probe One-Step RT-qPCR 4X Mix with UDG	10162129	Pass	
B1502AVIAL	Nuclease-free Water	10154305	Pass	

Assay Name/Specification	Lot # 10169250
Non-Specific DNase Activity (16 hour, Buffer) A 50 µl reaction in 1X Luna® Probe One-Step RT-qPCR Mix with UDG containing 1 µg of T3 or T7 DNA in addition to a reaction containing Lambda-HindIII DNA incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	Pass
<b>qPCR DNA Contamination (E. coli Genomic)</b> A minimum of 1 μI of Luna® Probe One-Step RT-qPCR 4X Mix with UDG is screened for the presence of E. coli genomic DNA using SYBR® Green qPCR with primers specific for the E. coli 16S rRNA locus. Results are quantified using a standard curve generated from purified E. coli genomic DNA. The measured level of E. coli genomic DNA contamination is ≤ 1 E. coli genome.	Pass
Functional Testing (One-Step RT-qPCR) Luna® Probe One-Step RT-qPCR 4X Mix with UDG is functionally tested in One-Step RT-qPCR with human RNA template, resulting in a standard curve with a calculated qPCR efficiency of 90-110%, and a dynamic range of 8 orders of magnitude.	Pass
RNase Activity Assay (4 Hour Digestion) A 10 µl reaction in NEBuffer 4 containing 40 ng of a 300 base single-stranded RNA	Pass



M3019L / Lot: 10169250

Page 1 of 2

Assay Name/Specification	Lot # 10169250
and a minimum of 1 µI of Luna® Probe One-Step RT-qPCR 4X Mix with UDG is incubated	
at 37°C. After incubation for 4 hours, >90% of the substrate RNA remains intact as	
determined by gel electrophoresis using fluorescent detection.	

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Lea Antonpoulos

Production Scientist

31 Aug 2022

Michael Tonello

Packaging Quality Control Inspector

25 Oct 2022

