

## New England Biolabs Certificate of Analysis


**Product Name:** MidRange PFG Marker  
**Catalog Number:** N0342S  
**Concentration:** 50 µg/ml  
**Unit Definition:** N/A  
**Packaging Lot Number:** 10206268  
**Expiration Date:** 04/2025  
**Storage Temperature:** -20°C  
**Storage Conditions:** 10 mM Tris-HCl, 1 mM EDTA, 50 % Glycerol, 1 % LMP Agarose, (pH 8.0 @ 25°C)  
**Specification Version:** PS-N0342S/L v1.0

MidRange PFG Marker Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
N0342SVIAL	MidRange PFG Marker	10182437	Pass


Assay Name/Specification	Lot # 10206268
<b>Electrophoretic Pattern (Marker)</b> The banding pattern of MidRange PFG Marker on a 1% CHEF PFG gel shows discrete, clearly identifiable bands at each band of the marker, when stained with Ethidium Bromide at a concentration of 2.5 µg/ml.	Pass

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit [www.neb.com/trademarks](http://www.neb.com/trademarks) for additional information.



Vanessa Mathieu-Sheltry  
Production Scientist  
31 Mar 2023



Josh Hersey  
Packaging Quality Control Inspector  
18 Sep 2023