

New England Biolabs Certificate of Analysis

Product Name: PCR Marker
Catalog Number: N3234L
Concentration: 300 µg/ml
Unit Definition: N/A
Lot Number: 10008580
Expiration Date: 04/2020
Storage Temperature: -20°C
Storage Conditions: 10 mM Tris-HCl (pH 8.0), 1 mM EDTA
Specification Version: PS-N3234S/L v1.0

PCR Marker Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
N3234LVIAL	PCR Marker	0091804	Pass
B7025SVIAL	Gel Loading Dye, Purple (6X), no SDS	10009594	Pass

Assay Name/Specification	Lot # 10008580
A260/A280 Assay The ratio of UV absorption of PCR Marker at 260 and 280 nm is between 1.8 and 2.0.	Pass
DNA Concentration (A260) The concentration of PCR Marker is between 300 and 315 µg/ml as determined by UV absorption at 260 nm.	Pass
Electrophoretic Pattern (Marker) The banding pattern of PCR Marker on a 3% agarose gel shows discrete, clearly identifiable bands at each band of the marker, when stained with Ethidium Bromide at a concentration of 0.5 µg/ml.	Pass
Non-Specific DNase Activity (DNA, 16 hour) A 50 µl reaction in 1X NEBuffer 2 containing 1.5 µg of PCR Marker incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	Pass

This product has been tested and shown to be in compliance with all specifications.

Ben Penta

Ben Penta
Production Scientist
23 May 2018

Michael Tonello

Michael Tonello
Packaging Quality Control Inspector
26 Jul 2018