

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

## New England Biolabs Certificate of Analysis

Product Name: EcoRI
Catalog Number: R0101M
Concentration: 100,000 U/ml

Unit Definition: One unit is defined as the amount of enzyme required to digest 1 µg

of Lambda DNA in 1 hour at 37°C in a total reaction volume of 50 μl.

Packaging Lot Number: 10191644
Expiration Date: 05/2025
Storage Temperature: -20°C

Storage Conditions: 300 mM NaCl, 10 mM KPO4 (pH 7.5), 1 mM DTT, 0.1 mM EDTA, 50%

Glycerol, 0.15% Triton X-100, 200 µg/ml BSA

Specification Version: PS-R0101T/M v3.0

| EcoRI Component List   |                              |            |                      |  |
|------------------------|------------------------------|------------|----------------------|--|
| <b>NEB Part Number</b> | <b>Component Description</b> | Lot Number | Individual QC Result |  |
| R0101MVIAL             | EcoRI                        | 10191643   | Pass                 |  |
| B7024AVIAL             | Gel Loading Dye, Purple (6X) | 10186770   | Pass                 |  |
| B0101SVIAL             | NEBuffer™ EcoRI/SspI         | 10156284   | Pass                 |  |

| Assay Name/Specification  | Lot # 10191644 |
|---|----------------|
| Blue-White Screening (Terminal Integrity) A sample of pUC19 vector linearized with a 10-fold excess of EcoRI, religated and   | Pass           |
| transformed into an E. coli strain expressing the LacZ beta fragment gene results in <1% white colonies.  |                |
| Exonuclease Activity (Radioactivity Release) A 50 µl reaction in 1X NEBuffer EcoRI/Sspl containing 1 µg of a mixture of single and double-stranded [ ³H] E. coli DNA and a minimum of 200 units of EcoRI incubated for 4 hours at 37°C releases <0.1% of the total radioactivity. | Pass           |
| Ligation and Recutting (Terminal Integrity) After a 20-fold over-digestion of Lambda DNA with EcoRI, >95% of the DNA fragments can be ligated with T4 DNA ligase in 16 hours at 16°C. Of these ligated fragments, >95% can be recut with EcoRI.                                   | Pass           |
| Non-Specific DNase Activity (16 Hour) A 50 µl reaction in 1X NEBuffer EcoRl/Sspl containing 1 µg of Lambda DNA and a minimum of 100 units of EcoRl incubated for 16 hours at 37°C results in a DNA  | Pass           |



R0101M / Lot: 10191644 Page 1 of 2 This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

YunJie Sun

detection.

Production Scientist

16 Máy 2023

Michael Tonello

Packaging Quality Control Inspector

22 Jun 2023



R0101M / Lot: 10191644

Page 2 of 2