

*be* INSPIRED *drive* DISCOVERY *stay* GENUINE

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

## New England Biolabs Certificate of Analysis

| Product Name:          | Haelll   |
|------------------------|--|
| Catalog Number:        | R0108S   |
| Concentration:         | 10,000 U/ml  |
| Unit Definition:       | One unit is defined as the amount of enzyme required to digest 1 $\mu$ g of Lambda DNA in 1 hour at 37°C in a total reaction volume of 50 $\mu$ l. |
| Packaging Lot Number:  | 10155934   |
| Expiration Date:       | 06/2024  |
| Storage Temperature:   | -20°C  |
| Storage Conditions:    | 50 mM KCl, 10 mM Tris-HCl (pH 7.4), 1 mM DTT, 0.1 mM EDTA, 50%<br>Glycerol, 200 μg/ml BSA  |
| Specification Version: | PS-R0108S/L v1.0   |

| Haelll Component List |                              |            |                      |  |
|-----------------------|------------------------------|------------|----------------------|--|
| NEB Part Number       | Component Description        | Lot Number | Individual QC Result |  |
| R0108SVIAL            | HaellI                       | 10155935   | Pass                 |  |
| B7024AVIAL            | Gel Loading Dye, Purple (6X) | 10150372   | Pass                 |  |
| B6004SVIAL            | rCutSmart™ Buffer            | 10154051   | Pass                 |  |

| Assay Name/Specification   | Lot # 10155934 |
|--|----------------|
| <b>Ligation and Recutting (Terminal Integrity)</b><br>After a 20-fold over-digestion of Lambda DNA with HaeIII, >95% of the DNA fragments<br>can be ligated with T4 DNA ligase in 16 hours at 16°C. Of these ligated fragments,<br>>95% can be recut with HaeIII.  | Pass           |
| Protein Purity Assay (SDS-PAGE)<br>HaeIII is >95% pure as determined by SDS PAGE analysis using Coomassie Blue<br>detection.   | Pass           |
| Exonuclease Activity (Radioactivity Release)<br>A 50 µl reaction in CutSmart <sup>™</sup> Buffer containing 1 µg of a mixture of single and<br>double-stranded [ <sup>3</sup> H] E. coli DNA and a minimum of 100 units of HaeIII incubated for<br>4 hours at 37°C releases <0.1% of the total radioactivity.    | Pass           |
| Non-Specific DNase Activity (16 Hour)<br>A 50 µl reaction in CutSmart <sup>™</sup> Buffer containing 1 µg of Lambda DNA and a minimum of<br>100 Units of HaeIII incubated for 16 hours at 37°C results in a DNA pattern free of<br>detectable nuclease degradation as determined by agarose gel electrophoresis. | Pass           |





*be* INSPIRED *drive* DISCOVERY *stay* GENUINE

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Penghua Zhang

Production Scientist 25 Jul 2022

Erin Varney ( Packaging Quality Control Inspector 25 Jul 2022

