

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

## New England Biolabs Certificate of Analysis

Product Name: Aval
Catalog Number: R0152S
Concentration: 10,000 U/ml

Unit Definition: One unit is defined as the amount of enzyme required to digest 1 µg

of Lambda DNA in rCutSmart™ Buffer in 1 hour at 37°C in a total

reaction volume of 50 μl.

Packaging Lot Number: 10181035 Expiration Date: 02/2025 Storage Temperature: -20°C

Storage Conditions: 10 mM Tris-HCl, 50 mM KCl, 1 mM DTT, 0.1 mM EDTA, 50% Glycerol, 200

μg/ml rAlbumin (pH 7.4 @ 25°C)

Specification Version: PS-R0152S/L v2.0

| Aval Component List    |                              |            |                      |  |
|------------------------|------------------------------|------------|----------------------|--|
| <b>NEB Part Number</b> | <b>Component Description</b> | Lot Number | Individual QC Result |  |
| R0152SVIAL             | Aval                         | 10181034   | Pass                 |  |
| B6004SVIAL             | rCutSmart™ Buffer            | 10184702   | Pass                 |  |

| Assay Name/Specification  | Lot # 10181035 |
|---|----------------|
| Blue-White Screening (Terminal Integrity)   | Pass           |
| A sample of pUC19 vector linearized with a 10-fold excess of Aval, religated and transformed into an E. coli strain expressing the LacZ beta fragment gene results in <1% white colonies.   |                |
| Exonuclease Activity (Radioactivity Release) A 50 µl reaction in rCutSmart™ Buffer containing 1 µg of a mixture of single and double-stranded [ ³H] E. coli DNA and a minimum of 100 units of Aval incubated for 4 hours at 37°C releases <0.1% of the total radioactivity. | Pass           |
| Functional Testing (15 minute Digest) A 50 μl reaction in rCutSmart™ Buffer containing 1 μg of Lambda DNA and 1 μl of Aval incubated for 15 minutes at 37°C results in complete digestion as determined by agarose gel electrophoresis.                                     | Pass           |
| Ligation and Recutting (Terminal Integrity)   | Pass           |
| After a 20-fold over-digestion of Lambda DNA with Aval, >95% of the DNA fragments can be ligated with T4 DNA ligase in 16 hours at 16°C. Of these ligated fragments,  |                |



R0152S / Lot: 10181035

Page 1 of 2

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

YunJie Sưń Production Scientist

detection.

21 Feb 2023

Michael Tonello

Packaging Quality Control Inspector

26 Jun 2023



R0152S / Lot: 10181035

Page 2 of 2