

*be* INSPIRED *drive* DISCOVERY *stay* GENUINE

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

## New England Biolabs Certificate of Analysis

| Product Name:          | Stul   |
|------------------------|--|
| Catalog Number:        | R0187L   |
| Concentration:         | 10,000 U/ml  |
| Unit Definition:       | One unit is defined as the amount of enzyme required to digest 1 $\mu$ g of Lambda DNA in 1 hour at 37°C in a total reaction volume of 50 $\mu$ l. |
| Lot Number:            | 10043758   |
| Expiration Date:       | 05/2021  |
| Storage Temperature:   | -20°C  |
| Storage Conditions:    | 50 mM KCl, 10 mM Tris-HCl (pH 7.4), 1 mM DTT, 0.1 mM EDTA, 50%<br>Glycerol, 200 μg/ml BSA  |
| Specification Version: | PS-R0187S/L v1.0   |

| Stul Component List |                              |            |                      |  |
|---------------------|------------------------------|------------|----------------------|--|
| NEB Part Number     | Component Description        | Lot Number | Individual QC Result |  |
| R0187LVIAL          | Stul                         | 10043759   | Pass                 |  |
| B7204SVIAL          | CutSmart® Buffer             | 10042966   | Pass                 |  |
| B7024SVIAL          | Gel Loading Dye, Purple (6X) | 10042958   | Pass                 |  |

| Assay Name/Specification  | Lot # 10043758 |
|---|----------------|
| <b>Blue-White Screening (Terminal Integrity)</b><br>A sample of Litmus 28i vector linearized with a 10-fold excess of Stul, religated<br>and transformed into an E. coli strain expressing the LacZ beta fragment gene<br>results in <1% white colonies.  | Pass           |
| Endonuclease Activity (Nicking)<br>A 50 µl reaction in CutSmart™ Buffer containing 1 µg of supercoiled pBR322 DNA and a<br>minimum of 10 Units of Stul incubated for 4 hours at 37°C results in <20% conversion<br>to the nicked form as determined by agarose gel electrophoresis.                         | Pass           |
| Exonuclease Activity (Radioactivity Release)<br>A 50 µl reaction in CutSmart <sup>™</sup> Buffer containing 1 µg of a mixture of single and<br>double-stranded [ <sup>3</sup> H] E. coli DNA and a minimum of 300 units of Stul incubated for 4<br>hours at 37°C releases <0.1% of the total radioactivity. | Pass           |
| Ligation and Recutting (Terminal Integrity)<br>After a 10-fold over-digestion of Lambda DNA with Stul, >95% of the DNA fragments<br>can be ligated with T4 DNA ligase in 16 hours at 16°C. Of these ligated fragments,  | Pass           |





be INSPIRED drive DISCOVERY stay GENUINE

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

| Assay Name/Specification   | Lot # 10043758 |
|--|----------------|
| >95% can be recut with Stul.   |                |
| Non-Specific DNase Activity (16 Hour)<br>A 50 μl reaction in CutSmart <sup>™</sup> Buffer containing 1 μg of Lambda DNA and a minimum of<br>100 Units of Stul incubated for 16 hours at 37ºC results in a DNA pattern free of<br>detectable nuclease degradation as determined by agarose gel electrophoresis. | Pass           |
| Protein Purity Assay (SDS-PAGE)<br>Stul is >95% pure as determined by SDS PAGE analysis using Coomassie Blue detection.  | Pass           |

This product has been tested and shown to be in compliance with all specifications.

Anthering the Freme

Anthony Francis Production Scientist 30 Apr 2019

31

Jay Minichiello Packaging Quality Control Inspector 31 May 2019

