

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: Nael
Catalog Number: R0190S
Concentration: 10,000 U/ml

Unit Definition: One unit is defined as the amount of enzyme required to digest 1 µg

pXba DNA in 1 hour at 37°C in a total reaction volume of 50 μl.

Packaging Lot Number: 10117602 Expiration Date: 04/2023 Storage Temperature: -20°C

Storage Conditions: 50 mM NaCl, 10 mM Tris-HCl (pH 7.4), 1 mM DTT, 0.1 mM EDTA, 50%

Glycerol, 200 µg/ml BSA

Specification Version: PS-R0190S/L v1.0

Nael Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
R0190SVIAL	Nael	10105097	Pass	
B6004SVIAL	rCutSmart™ Buffer	10114155	Pass	

Assay Name/Specification	Lot # 10117602
Protein Purity Assay (SDS-PAGE)	Pass
Nael is >95% pure as determined by SDS PAGE analysis using Coomassie Blue detection.	
Endonuclease Activity (Nicking)	Pass
A 50 µl reaction in CutSmart™ Buffer containing 1 µg of supercoiled PhiX174 DNA and	
a minimum of 50 units of Nael incubated for 4 hours at 37°C results in <10% conversion to the nicked form as determined by agarose gel electrophoresis.	
conversion to the flicked form as determined by agarose ger electrophoresis.	
Exonuclease Activity (Radioactivity Release)	Pass
A 50 µl reaction in CutSmart™ Buffer containing 1 µg of a mixture of single and double-stranded [³H] E. coli DNA and a minimum of 50 units of Nael incubated for 4	
hours at 37°C releases <0.1% of the total radioactivity.	
•	
Ligation and Recutting (Terminal Integrity)	Pass
After a 10-fold over-digestion of pXba DNA with Nael, ~75% of the DNA fragments can be ligated with T4 DNA ligase in 16 hours at 16°C. Of these ligated fragments, >95%	
can be recut with Nael.	
Non-Specific DNase Activity (16 Hour)	Pass



R0190S / Lot: 10117602

Page 1 of 2

Assay Name/Specification	Lot # 10117602
A 50 µl reaction in CutSmart™ Buffer containing 1 µg of pXba DNA and a minimum of 100 Units of Nael incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Penghua Zhang Production Scientist

19 Aug 2021

Josh Hersey

Packaging Quality Control Inspector

19 Aug 2021



R0190S / Lot: 10117602

Page 2 of 2