

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: Kasl
Catalog Number: R0544S
Concentration: 5,000 U/ml

Unit Definition: One unit is defined as the amount of enzyme required to digest 1 µg

of pBR322 DNA in 1 hour at 37°C in a total reaction volume of 50 μl.

Packaging Lot Number: 10188344
Expiration Date: 05/2024
Storage Temperature: -80°C

Storage Conditions: 500 mM KCl, 20 mM Tris-HCl (pH 7.0), 0.1 mM EDTA, 1mM MgCl2, 50%

Glycerol, 0.10% Triton X-100, 200 µg/ml BSA

Specification Version: PS-R0544S/L v3.0

Kasl Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
R0544SVIAL	Kasl	10188340	Pass	
B6004SVIAL	rCutSmart™ Buffer	10184701	Pass	

Assay Name/Specification	Lot # 10188344
Blue-White Screening (Terminal Integrity) A sample of LITMUS38i vector linearized with a 10-fold excess of Kasl, religated and transformed into an E. coli strain expressing the LacZ beta fragment gene results in <1% white colonies.	Pass
Exonuclease Activity (Radioactivity Release) A 50 μl reaction in CutSmart™ Buffer containing 1 μg of a mixture of single and double-stranded [³H] E. coli DNA and a minimum of 5 units of Kasl incubated for 4 hours at 37°C releases <0.1% of the total radioactivity.	Pass
Ligation and Recutting (Terminal Integrity) After a 20-fold over-digestion of pBR322 DNA with KasI, >95% of the DNA fragments can be ligated with T4 DNA ligase in 16 hours at 16°C. Of these ligated fragments, >95% can be recut with KasI.	Pass
Non-Specific DNase Activity (16 Hour) A 50 µl reaction in CutSmart™ Buffer containing 1 µg of pBR322 DNA and a minimum of 5 Units of Kasl incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	Pass



R0544S / Lot: 10188344

Page 1 of 2



Assay Name/Specification	Lot # 10188344
Protein Purity Assay (SDS-PAGE) Kasl is >95% pure as determined by SDS PAGE analysis using Coomassie Blue detection.	Pass

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

YunJie Sun \
Production Scientist

01 Jun 2023

Josh Hersey

Packaging Quality Control Inspector

01 Jun 2023



R0544S / Lot: 10188344

Page 2 of 2