

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name:BfalCatalog Number:R0568SConcentration:10,000 U/ml

Unit Definition: One unit is defined as the amount of enzyme required to digest 1 µg

of Lambda DNA in rCutSmart Buffer in 1 hour at 37°C in a total

reaction volume of 50 µl.

Packaging Lot Number: 10155313
Expiration Date: 05/2024
Storage Temperature: -20°C

Storage Conditions: 10 mM Tris-HCl, 300 mM NaCl, 1 mM DTT, 0.1 mM EDTA, 50% Glycerol,

500 μg/ml rAlbumin (pH 7.4 @ 25°C)

Specification Version: PS-R0568S/L v3.0

Bfal Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
R0568SVIAL	Bfal	10155343	Pass	
B6004SVIAL	rCutSmart™ Buffer	10150373	Pass	

Assay Name/Specification	Lot # 10155313
Ligation and Recutting (Terminal Integrity) After a 5-fold over-digestion of Lambda DNA with Bfal, ~25% of the DNA fragments can be ligated with T4 DNA ligase in 16 hours at 16°C. Of these ligated fragments, >95% can be recut with Bfal.	Pass
qPCR DNA Contamination (E. coli Genomic) A minimum of 10 units of Bfal is screened for the presence of E. coli genomic DNA using SYBR® Green qPCR with primers specific for the E. coli 16S rRNA locus. Results are quantified using a standard curve generated from purified E. coli genomic DNA. The measured level of E. coli genomic DNA contamination is ≤ 1 E. coli genome.	Pass
Non-Specific DNase Activity (16 Hour) A 50 µl reaction in rCutSmart™ Buffer containing 1 µg of Lambda DNA and a minimum of 100 units of Bfal incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	Pass
Exonuclease Activity (Radioactivity Release) A 50 µl reaction in rCutSmart™ Buffer containing 1 µg of a mixture of single and	Pass



R0568S / Lot: 10155313

Page 1 of 2

Assay Name/Specification	Lot # 10155313
double-stranded [³H] E. coli DNA and a minimum of 100 units of Bfal incubated for 4	
hours at 37°C releases <0.1% of the total radioactivity.	

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Penghua Zhang Production Scientist

21 Jun 2022

Michael Tonello

Packaging Quality Control Inspector

21 Jun 2022



R0568S / Lot: 10155313

Page 2 of 2