

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

## New England Biolabs Certificate of Analysis

Product Name: Fsel
Catalog Number: R0588S
Concentration: 2,000 U/ml

Unit Definition: One unit is defined as the amount of enzyme required to digest 1 µg

of pBC4 DNA in 1 hour at 37°C in a total reaction volume of 50 μl.

Lot Number: 10010041
Expiration Date: 06/2019
Storage Temperature: -80°C

Storage Conditions: 10 mM Tris-HCl, 100 mM KCl, 1 mM DTT, 0.1 mM EDTA, 0.5 % Tween®

20 , 0.5 % IGEPAL® CA-630 , 50 % Glycerol, (pH 7.4 @ 25°C)

Specification Version: PS-R0588S/L v3.0

Fsel Component List				
<b>NEB Part Number</b>	Component Description	Lot Number	Individual QC Result	
R0588SVIAL	Fsel	10010042	Pass	
B7204SVIAL	CutSmart® Buffer	3081804	Pass	
B7024SVIAL	Gel Loading Dye, Purple (6X)	0241804	Pass	

Assay Name/Specification	Lot # 10010041
Protein Purity Assay (SDS-PAGE)	Pass
Fsel is >95% pure as determined by SDS PAGE analysis using Coomassie Blue detection.	
Exonuclease Activity (Radioactivity Release)	Pass
A 50 μl reaction in CutSmart <sup>™</sup> Buffer containing 1 μg of a mixture of single and	
double-stranded [ 3H] E. coli DNA and a minimum of 10 units of Fsel incubated for 4 hours at 37°C releases <0.1% of the total radioactivity.	
Thousand at the Proposition of the total radioactivity.	
Endonuclease Activity (Nicking)	Pass
A 50 µl reaction in CutSmart™ Buffer containing 1 µg of supercoiled PhiX174 DNA and	
a minimum of 10 Units of Fsel incubated for 4 hours at 37°C results in <10% conversion to the nicked form as determined by agarose gel electrophoresis.	
donversion to the nicked form as determined by agarose ger electrophoresis.	
Ligation and Recutting (Terminal Integrity)	Pass
After a 10-fold over-digestion of pBC4 DNA with Fsel, >95% of the DNA fragments can	
be ligated with T4 DNA ligase in 16 hours at 16°C. Of these ligated fragments, >95% can be recut with Fsel.	
can be recut with a set.	



R0588S / Lot: 10010041

Page 1 of 2

Assay Name/Specification	Lot # 10010041
Non-Specific DNase Activity (16 Hour)	Pass
A 50 µl reaction in CutSmart™ Buffer containing 1 µg of pBC4 DNA and a minimum of 10	
units of Fsel incubated for 16 hours at 37°C results in a DNA pattern free of	
detectable nuclease degradation as determined by agarose gel electrophoresis.	

This product has been tested and shown to be in compliance with all specifications.

Stephanie Cornelio Production Scientist

05 Jun 2018

Michael Tonello

Packaging Quality Control Inspector

08 Jun 2018

