

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: BbvCl
Catalog Number: R0601S
Concentration: 2,000 U/ml

Unit Definition: One unit is defined as the amount of enzyme required to digest 1 µg

of Lambda DNA in 1 hour at 37°C in a total reaction volume of 50 μl.

Packaging Lot Number: 10055813
Expiration Date: 08/2021
Storage Temperature: -20°C

Storage Conditions: 300 mM NaCl, 10 mM Tris-HCl (pH 7.4), 1 mM DTT, 0.1 mM EDTA, 50%

Glycerol, 500 µg/ml BSA

Specification Version: PS-R0601S/L v1.0

BbvCl Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
R0601SVIAL	BbvCl	10053714	Pass	
B7204SVIAL	CutSmart® Buffer	10046088	Pass	

Assay Name/Specification	Lot # 10055813
Exonuclease Activity (Radioactivity Release)	Pass
A 50 µl reaction in CutSmart™ Buffer containing 1 µg of a mixture of single and	
double-stranded [³H] E. coli DNA and a minimum of 10 units of BbvCl incubated for 4 hours at 37°C releases <0.1% of the total radioactivity.	
Thous at 37 G releases <0.170 of the total radioactivity.	
Ligation and Recutting (Terminal Integrity)	Pass
After a 2-fold over-digestion of Lambda DNA with BbvCI, 95% can be recut with BbvCI.	
Non-Specific DNase Activity (16 hour)	Pass
A 50 µl reaction in CutSmart™ Buffer containing 1 µg of Lambda DNA and a minimum of	
2 Units of BbvCl incubated for 16 hours at 37°C results in a DNA pattern free of	
detectable nuclease degradation as determined by agarose gel electrophoresis. NOTE:	
although no nuclease degradation is detected under these conditions, extended	
incubations and/or high concentrations of this enzyme may result in star activity.	
See the product FAQ for recommended reaction conditions for this enzyme.	

This product has been tested and shown to be in compliance with all specifications.



R0601S / Lot: 10055813

Page 1 of 2

Penghua Zhang
Production Scientist
22 Aug 2019

Jay Minichiello

Packaging Quality Control Inspector

18 Oct 2019