

DISCOVERY 240 County Road
GENUINE Ipswich, MA 01938-2723

Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: Sfol
Catalog Number: R0606L
Concentration: 10,000 U/ml

Unit Definition: One unit is defined as the amount of enzyme required to digest 1 µg

of Lambda DNA (HindIII digest) in 1 hour at 37°C in a total reaction

volume of 50 μl.

Packaging Lot Number: 10073613
Expiration Date: 03/2022
Storage Temperature: -20°C

Storage Conditions: 200 mM NaCl, 10 mM Tris-HCl (pH 7.4), 1 mM DTT, 0.1 mM EDTA, 50%

Glycerol, 200 µg/ml BSA

Specification Version: PS-R0606S/L v1.0

Sfol Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
R0606LVIAL	Sfol	10069397	Pass	
B7204SVIAL	CutSmart® Buffer	10071077	Pass	

Assay Name/Specification	Lot # 10073613
Protein Purity Assay (SDS-PAGE)	Pass
Sfol is >95% pure as determined by SDS PAGE analysis using Coomassie Blue detection.	
Non-Specific DNase Activity (16 Hour) A 50 µl reaction in CutSmart™ Buffer containing 1 µg of Lambda-HindIII DNA and a minimum of 30 Units of Sfol incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	Pass
Ligation and Recutting (Terminal Integrity) After a 10-fold over-digestion of Lambda-HindIII DNA with SfoI, >95% of the DNA fragments can be ligated with T4 DNA ligase in 16 hours at 16°C. Of these ligated fragments, >95% can be recut with SfoI.	Pass
Exonuclease Activity (Radioactivity Release) A 50 µl reaction in CutSmart™ Buffer containing 1 µg of a mixture of single and double-stranded [³H] E. coli DNA and a minimum of 100 units of Sfol incubated for 4 hours at 37°C releases <0.1% of the total radioactivity.	Pass



R0606L / Lot: 10073613

Page 1 of 2

Assay Name/Specification	Lot # 10073613
Endonuclease Activity (Nicking)	Pass
A 50 µl reaction in CutSmart™ Buffer containing 1 µg of supercoiled Litmus28i DNA	
and a minimum of 30 Units of SfoI incubated for 4 hours at 37°C results in <20%	
conversion to the nicked form as determined by agarose gel electrophoresis.	

This product has been tested and shown to be in compliance with all specifications.

Penghua Zhang

Production Scientist

NEW ENGLAND

14 Apr 2020

Jay Minichiello

Packaging Quality Control Inspector

14 Apr 2020



R0606L / Lot: 10073613 Page 2 of 2