

be INSPIRED *drive* DISCOVERY *stay* GENUINE

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name:	NmeAIII
Catalog Number:	R0711S
Concentration:	2,000 U/ml
Unit Definition:	One unit is defined as the amount of enzyme required to digest 1 μ g of PhiX174 RF I DNA in 1 hour at 37°C in a total reaction volume of 50 μ l.
Packaging Lot Number:	10095460
Expiration Date:	01/2023
Storage Temperature:	-20°C
Storage Conditions:	300 mM NaCl, 10 mM Tris-HCl, 1 mM DTT, 0.1 mM EDTA, 0.32 mM S-adenosylmethionine (SAM), 50% Glycerol, 500 μg/ml BSA (pH 7.4 @ 25°C)
Specification Version:	PS-R0711S v3.0

NmeAllI Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
R0711SVIAL	NmeAIII	10095459	Pass	
B7204SVIAL	CutSmart® Buffer	10093122	Pass	

Assay Name/Specification	Lot # 10095460
Ligation and Recutting (Terminal Integrity) After a 5-fold over-digestion of PhiX174 RF I DNA with NmeAIII, >95% of the DNA fragments can be ligated with T4 DNA ligase in 16 hours at 16°C. Of these ligated fragments, <5% can be recut with NmeAIII.	Pass
Exonuclease Activity (Radioactivity Release) A 50 µl reaction in CutSmart™ Buffer containing 1 µg of a mixture of single and double-stranded [³ H] E. coli DNA and a minimum of 10 units of NmeAIII incubated for 4 hours at 37°C releases <0.1% of the total radioactivity.	Pass

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.





be INSPIRED drive DISCOVERY stay GENUINE

240 County Road Ipswich, MA 01938-2723

Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

Penghua Zhang Production Scientist 12 Feb 2021

Josh Hersey Packaging Quality Control Inspector

12 Feb 2021

