

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: Spel-HF®
Catalog Number: R3133S
Concentration: 20,000 U/ml

Unit Definition: One unit is defined as the amount of enzyme required to digest 1 µg

of pXba-Xbal DNA in 1 hour at 37°C in a total reaction volume of 50

μl.

Packaging Lot Number: 10108555
Expiration Date: 12/2022
Storage Temperature: -20°C

Storage Conditions: 250 mM NaCl, 10 mM Tris-HCl (pH 7.4), 1 mM DTT, 0.1 mM EDTA, 50%

Glycerol, 0.15% Triton® X-100, 200 µg/ml BSA

Specification Version: PS-R3133S/L v2.0

Spel-HF® Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
R3133SVIAL	Spel-HF®	10092165	Pass	
B7024AVIAL	Gel Loading Dye, Purple (6X)	10093123	Pass	
B6004SVIAL	rCutSmart™ Buffer	10107577	Pass	

Assay Name/Specification	Lot # 10108555
Protein Purity Assay (SDS-PAGE) Spel-HF® is ≥ 95% pure as determined by SDS-PAGE analysis using Coomassie Blue	Pass
detection.	
Blue-White Screening (Terminal Integrity)	Pass
A sample of LITMUS28 vector linearized with a 10-fold excess of Spel-HF®, religated and transformed into an E. coli strain expressing the LacZ beta fragment gene results in <1% white colonies.	
Endonuclease Activity (Nicking)	Pass
A 50 µl reaction in CutSmart® Buffer containing 1 µg of supercoiled PhiX174 DNA and	
a minimum of 60 units of Spel-HF® incubated for 4 hours at 37°C results in <20% conversion to the nicked form as determined by agarose gel electrophoresis.	
Ligation and Recutting (Terminal Integrity)	Pass
After a 20-fold over-digestion of T7 DNA with SpeI-HF®, >95% of the DNA fragments can be ligated with T4 DNA ligase in 16 hours at 16°C. Of these ligated fragments,	



R3133S / Lot: 10108555

Page 1 of 2

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Penghaa Zhang Production Scientist 07 Jun 2021

Josh Hersey

Packaging Quality Control Inspector

07 Jun 2021



R3133S / Lot: 10108555

Page 2 of 2