

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: Agel-HF®
Catalog Number: R3552L
Concentration: 20,000 U/ml

Unit Definition: One unit is defined as the amount of enzyme required to digest 1 μg

of Lambda DNA in rCutSmart Buffer in 1 hour at 37°C in a total

reaction of 50 μl.

Packaging Lot Number: 10164929
Expiration Date: 04/2024
Storage Temperature: -20°C

Storage Conditions: 10 mM Tris-HCl, 50 mM KCl, 1 mM DTT, 0.1 mM EDTA, 50% Glycerol, 200

μg/ml rAlbumin (pH 7.4 @ 25°C)

Specification Version: PS-R3552S/L v2.0

Agel-HF® Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
R3552LVIAL	Agel-HF®	10145782	Pass	
B7024AVIAL	Gel Loading Dye, Purple (6X)	10162784	Pass	
B6004SVIAL	rCutSmart™ Buffer	10162783	Pass	

Assay Name/Specification	Lot # 10164929
Non-Specific DNase Activity (16 Hour)	Pass
A 50 µl reaction in rCutSmart™ Buffer containing 1 µg of Lambda DNA and a minimum of	
100 units of Agel-HF® incubated for 16 hours at 37°C results in a DNA pattern free	
of detectable nuclease degradation as determined by agarose gel electrophoresis.	
igation and Recutting (Terminal Integrity)	Pass
After a 20-fold over-digestion of Lambda DNA with Agel-HF®, >95% of the DNA	
ragments can be ligated with T4 DNA ligase in 16 hours at 16°C. Of these ligated	
fragments, >95% can be recut with Agel-HF®.	
Functional Testing (15 minute Digest)	Pass
λ 50 μl reaction in rCutSmart™ Buffer containing 1 μg of Lambda DNA and 1 μl of	
Agel-HF® incubated for 15 minutes at 37°C results in complete digestion as	
determined by agarose gel electrophoresis.	
Exonuclease Activity (Radioactivity Release)	Pass
λ 50 μl reaction in rCutSmart™ Buffer containing 1 μg of a mixture of single and	



R3552L / Lot: 10164929

Page 1 of 2

Assay Name/Specification	Lot # 10164929
double-stranded [³H] E. coli DNA and a minimum of 200 units of Agel-HF® incubated for 4 hours at 37°C releases <0.1% of the total radioactivity.	
qPCR DNA Contamination (E. coli Genomic) A minimum of 20 units of Agel-HF® is screened for the presence of E. coli genomic DNA using SYBR® Green qPCR with primers specific for the E. coli 16S rRNA locus. Results are quantified using a standard curve generated from purified E. coli genomic DNA. The measured level of E. coli genomic DNA contamination is ≤ 1 E. coli genome.	Pass
Protein Purity Assay (SDS-PAGE) Agel-HF® is ≥ 95% pure as determined by SDS-PAGE analysis using Coomassie Blue detection.	Pass
Blue-White Screening (Terminal Integrity) A sample of LITMUS28i vector linearized with a 10-fold excess of Agel-HF®, religated and transformed into an E. coli strain expressing the LacZ beta fragment gene results in <1% white colonies.	Pass

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Penghua Zhang Production Scientist

04 Apr 2022

Erin Varney

Packaging Quality Control Inspector

21 Oct 2022



R3552L / Lot: 10164929 Page 2 of 2