

## New England Biolabs Certificate of Analysis

Product Name: Monarch Total RNA Miniprep Kit

Catalog Number: T2010G
Lot Number: 10043829
Expiration Date: 00/0000
Storage Temperature: 25°C

Specification Version: PS-T2010G v1.0

Assay Name/Specification	Lot # 10043829
Functional Testing (DNA Recovery and Purity) Twenty-four Monarch® RNA Purification Columns are tested with 10 μg of Lambda/BstEII Marker resulting in ≥75% recovery in ≥80% of the samples. OD 260/280 and 260/230 are ≥1.75 in ≥80% of the samples.	Pass
Functional Testing (DNA Recovery) Eight Monarch® gDNA Removal Columns are tested with 10 μg of Lambda/BstEII Marker resulting in ≥65% recovery in ≥80% of the samples.	Pass
Functional Testing (DNase I, Monarch®) A 50 μI reaction in Monarch® DNase I Reaction Buffer with 1 μg of pBR322 and 5 mU Monarch® DNase I incubated for 10 minutes at 37°C results in digestion of the DNA fragments to ≤500 bp as determined by agarose gel electrophoresis.	Pass
Functional Testing (Proteinase K, Monarch®) A 20 μl reaction in Monarch® Proteinase K Reaction Buffer with 10 μg of MBP5 and 50 ng Monarch® Proteinase K incubated for 5 minutes at 37°C results in >75% digestion of the protein as determined by SDS-PAGE using Coomassie Blue detection.	Pass
Functional Testing (RNA Yield and Integrity Analysis)  Total RNA is purified from 8 individual aliquots of HeLa cells (106 cells/aliquot).  Yield of RNA is >5 μg in ≥75% of the samples. OD 260/280 and 260/230 are ≥1.75 in ≥80% of the samples as well as RIN values ≥8 in ≥80% of the samples.	Pass

This product has been tested and shown to be in compliance with all specifications.



T2010G / Lot: 10043829



Tel 978-927-5054 Fax 978-921-1350 www.neb.com



Ana Egana

Production Scientist 01 Aug 2019 Darcie Spaulding
Packaging Quality Control Inspector
01 Aug 2019