320 Newburyport Turnpike Rowley, MA 01969-2002 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

## New England Biolabs Certificate of Analysis

Product Name: Monarch® RNA Cleanup Wash Buffer

Catalog Number: T2042L
Packaging Lot Number: 10163952
Expiration Date: 11/2025
Storage Temperature: 25°C

Specification Version: PS-T2042L v2.0

Monarch® RNA Cleanup Wash Buffer Component List			
<b>NEB Part Number</b>	Component Description	Lot Number	Individual QC Result
T2042-2	Monarch® RNA Cleanup Wash Buffer	10165709	Pass

Assay Name/Specification	Lot # 10163952
Functional Testing (Enzyme Inactivation and Removal)	Pass
Eight Monarch® RNA Cleanup Columns are tested with input RNA at 10% the maximum	
binding capacity of the column and 2 units of DNase I. A 50 µl reaction in DNase I	
Reaction Buffer with 1 µg of pBR322 and 50% of the column eluate incubated for 10	
minutes at 37°C results in >99.95% removal of DNase I activity in ≥75% of the	
samples.	

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Nikki \$amuelson Production Scientist

17 Mar 2023

Nikki \$amuelson

Packaging Quality Control Inspector

21 Mar 2023



T2042L / Lot: 10163952