

320 Newburyport Turnpike Rowley, MA 01969-2002 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: Monarch® Genomic DNA Purification Kit

Catalog Number: T3010S
Packaging Lot Number: 10163973
Expiration Date: 12/2024
Storage Temperature: 25°C

Specification Version: PS-T3010S/L v2.0

Monarch® Genomic DNA Purification Kit Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
T3018-1	Monarch® RNase A	10162416	Pass
T3017-1	gDNA Purification 50 Columns	10170040	Pass
T3016-1	Monarch® gDNA Elution Buffer	10165773	Pass
T3015-1	Monarch® gDNA Wash Buffer	10165770	Pass
T3014-1	Monarch® gDNA Binding Buffer	10165767	Pass
T3013-1	Monarch® gDNA Blood Lysis Buffer	10182362	Pass
T3012-1	Monarch® gDNA Cell Lysis Buffer	10165757	Pass
T3011-1	Monarch® gDNA Tissue Lysis Buffer	10165751	Pass
T2018-1	Monarch® Collection Tubes II	10176509	Pass
P8107AAVIAL	Proteinase K, Molecular Biology Grade	10152676	Pass

Assay Name/Specification	Lot # 10163973
* Individual Product Component Note Standard Quality Control Tests are performed for each component included in Monarch® Genomic DNA Purification Kit and meet the designated specifications.	Pass
Functional Testing (Blood Cell Lysis Buffer, Monarch®) Genomic DNA is purified from 8 samples of whole pig blood using the Protocol for Extraction and Purification of Genomic DNA from Mammalian Whole Blood (non-nucleated), with ≥2 μg of gDNA being recovered in ≥80% of the samples. OD 260/280 and 260/230 are ≥1.75 in ≥80% of the samples.	Pass
Functional Testing (Cell Lysis Buffer, Monarch®) Genomic DNA is purified from 8 individual aliquots of HeLa cells (106 cells/aliquot) using the Protocol for Extraction and Purification of Genomic DNA from Cultured Cells, resulting in ≥3 µg of gDNA being recovered in ≥80% of the	Pass



T3010S / Lot: 10163973

Page 1 of 2



Assay Name/Specification	Lot # 10163973
samples. OD 260/280 and 260/230 are ≥1.75 in ≥80% of the samples.	
Functional Testing (DNA Recovery and Purity) Twenty-four Monarch® gDNA Purification Columns are tested with 5 µg of HindIII digested Lambda resulting in ≥75% recovery in ≥80% of the samples. OD 260/280 and 260/230 are ≥1.75 in ≥80% of the samples.	Pass
Functional Testing (RNase A, Monarch®) A 10 µl reaction in NEBuffer 4 containing 40 ng of fluorescein labeled RNA transcript and RNase A is incubated at 37°C. After incubation for 5 minutes, complete disappearance of the RNA substrate occurs at ≤1.0 µg/ml of RNase A, as determined by gel electrophoresis using fluorescent detection.	Pass
Functional Testing (Tissue Lysis Buffer, Monarch®) Genomic DNA is purified from 8 NEB10-Beta samples treated using the Supplemental Protocol for Genomic DNA Purification from Gram-negative Bacteria, resulting in ≥5 µg of gDNA being recovered in ≥80% of the samples. OD 260/280 and 260/230 are ≥1.75 in ≥80% of the samples.	Pass

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Ana Egana Production Scientist 29 Mar 2023 Nikki \$amuelson

Packaging Quality Control Inspector

29 Mar 2023



T3010S / Lot: 10163973

Page 2 of 2