

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Product Specification

Product Name:	Monarch® RNA Cleanup Kit (500 μg)
Catalog #:	T2050S/L
Kit Components:	Monarch® RNA Cleanup Columns (500 µg) (T2057) Monarch® Collection Tubes II (T2018) Monarch® RNA Cleanup Binding Buffer (T2041) Monarch® RNA Cleanup Wash Buffer (T2042) Nuclease-free Water (B1500)

Shelf Life:	24 months
Storage Temp:	25°C
Specification Version:	PS-T2050S/L v3.0
Effective Date:	31 Aug 2022

Assay Name/Specification (minimum release criteria)

Functional Testing (Enzyme Inactivation and Removal) - Eight Monarch® RNA Cleanup Columns (T2057, 500 μ g) are tested with 50 μ g of RNA and 2 units of DNase I. A 50 μ l reaction in DNase I Reaction Buffer with 1 μ g of pBR322 and 50% of the column eluate incubated for 10 minutes at 37°C results in >99.95% removal of DNase I activity in ≥75% of the samples.

Functional Testing (RNA Recovery and Purity) - Twenty-four Monarch® RNA Cleanup Columns (T2057, 500 μ g) are tested with 50 μ g of RNA resulting in \geq 75% recovery in \geq 80% of the samples. OD 260/280 and 260/230 are \geq 1.75 in \geq 80% of the samples.

* Individual Product Component Note - Standard Quality Control Tests are performed for each component included in Monarch® RNA Cleanup Kit (500 µg) and meet the designated specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit <u>www.neb.com/trademarks</u> for additional information.

Date 31 Aug 2022

Derek Robinson Quality Approver



PS-T2050S/L v3.0 Page 1 of 1