

## New England Biolabs Certificate of Analysis

**Product Name:** *NiCo21(DE3) Competent E. coli*  
**Catalog Number:** *C2529H*  
**Packaging Lot Number:** *10175372*  
**Expiration Date:** *12/2023*  
**Storage Temperature:** *-80°C*  
**Specification Version:** *PS-C2529H v1.0*

NiCo21(DE3) Competent E. coli Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
N3041AVIAL	pUC19 Vector	10165704	Pass
C2529HVIAL	NiCo21(DE3) Competent E. coli	10166840	Pass
B9020SVIAL	SOC Outgrowth Medium	10166759	Pass

Assay Name/Specification	Lot # 10175372
<b>Antibiotic Sensitivity (Chloramphenicol)</b> 15 µl of untransformed NiCo21(DE3) Competent E. coli streaked onto a Rich Broth plate containing Chloramphenicol will not form colonies after incubation for 16 hours at 37°C.	<b>Pass</b>
<b>Antibiotic Sensitivity (Ampicillin)</b> 15 µl of untransformed NiCo21(DE3) Competent E. coli streaked onto a Rich Broth plate containing Ampicillin will not form colonies after incubation for 16 hours at 37°C.	<b>Pass</b>
<b>Antibiotic Sensitivity (Spectinomycin)</b> 15 µl of untransformed NiCo21(DE3) Competent E. coli streaked onto a Rich Broth plate containing Spectinomycin will not form colonies after incubation for 16 hours at 37°C.	<b>Pass</b>
<b>Antibiotic Sensitivity (Streptomycin)</b> 15 µl of untransformed NiCo21(DE3) Competent E. coli streaked onto a Rich Broth plate containing Streptomycin will not form colonies after incubation for 16 hours at 37°C.	<b>Pass</b>
<b>Antibiotic Sensitivity (Kanamycin)</b> 15 µl of untransformed NiCo21(DE3) Competent E. coli streaked onto a Rich Broth plate containing Kanamycin will not form colonies after incubation for 16 hours at	<b>Pass</b>


Assay Name/Specification	Lot # 10175372
<p>37°C.</p> <p><b>Antibiotic Sensitivity (Tetracycline)</b> 15 µl of untransformed NiCo21(DE3) Competent E. coli streaked onto a Rich Broth plate containing Tetracycline will not form colonies after incubation for 16 hours at 37°C.</p>	<b>Pass</b>
<p><b>Phage Resistance (φ 80)</b> 15 µl of untransformed NiCo21(DE3) Competent E. coli streaked onto a Rich Broth plate does not support plaque formation by phage φ 80 after incubation for 16 hours at 37°C.</p>	<b>Pass</b>
<p><b>Transformation Efficiency</b> 50 µl of NiCo21(DE3) Competent E. coli cells were transformed with 100 pg of pUC19 DNA using the transformation protocol provided. Incubation overnight on LB-Ampicillin plates at 37°C resulted in &gt;1 x 10e7 cfu/µg of DNA.</p>	<b>Pass</b>

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit [www.neb.com/trademarks](http://www.neb.com/trademarks) for additional information.



Lixin An  
Production Scientist  
21 Oct 2022



Nick Privitera  
Packaging Quality Control Inspector  
16 Dec 2022