

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: NEB® Stable Competent E. coli (High Efficiency)

Catalog Number: C3040H
Packaging Lot Number: 10064714
Expiration Date: 01/2021
Storage Temperature: -80°C

Specification Version: PS-C3040H/I v1.0

NEB® Stable Competent E. coli (High Efficiency) Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
N3041AVIAL	pUC19 Vector	10058192	Pass	
C3040HVIAL	NEB® Stable Competent E. coli (High Efficiency)	10058097	Pass	
B9035SVIAL	NEB® 10-beta/Stable Outgrowth Medium	10054668	Pass	

Assay Name/Specification	Lot # 10064714
Transformation Efficiency 50 µl of NEB® Stable Competent E. coli (High Efficiency) cells were transformed with 100 pg of pUC19 DNA using the transformation protocol provided. Incubation overnight on LB-Ampicillin plates at 37°C resulted in >1 x 10e9 cfu/µg of DNA.	Pass
Phage Resistance (φ 80) 15 μl of untransformed NEB® Stable Competent E. coli (High Efficiency) streaked onto a Rich Broth plate does not support plaque formation by phage φ 80 after incubation for 16 hours at 37°C.	Pass
Blue-White Screening (α -complementation, Competent Cells) NEB® Stable Competent E. coli (High Efficiency) were shown to be suitable for blue/white screening by α -complementation of the β -galactosidase gene using pUC19.	Pass
Antibiotic Resistance (Streptomycin) 15 µl of untransformed NEB® Stable Competent E. coli (High Efficiency) streaked onto a Rich Broth plate containing Streptomycin will form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Resistance (Tetracycline) 15 µl of untransformed NEB® Stable Competent E. coli (High Efficiency) streaked onto a Rich Broth plate containingTetracycline will form colonies after incubation for 16 hours at 37°C.	Pass



C3040H / Lot: 10064714

Page 1 of 2

Assay Name/Specification	Lot # 10064714
Antibiotic Sensitivity (Ampicillin) 15 µl of untransformed NEB® Stable Competent E. coli (High Efficiency) streaked onto a Rich Broth plate containing Ampicillin will not form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Sensitivity (Chloramphenicol) 15 µl of untransformed NEB® Stable Competent E. coli (High Efficiency) streaked onto a Rich Broth plate containing Chloramphenicol will not form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Sensitivity (Kanamycin) 15 µl of untransformed NEB® Stable Competent E. coli (High Efficiency) streaked onto a Rich Broth plate containing Kanamycin will not form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Sensitivity (Nitrofurantoin) 15 µl of untransformed NEB® Stable Competent E. coli (High Efficiency) streaked onto a Rich Broth plate containing Nitrofurantoin will not form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Sensitivity (Spectinomycin) 15 µl of untransformed NEB® Stable Competent E. coli (High Efficiency) streaked onto a Rich Broth plate containing Spectinomycin will not form colonies after incubation for 16 hours at 37°C.	Pass

This product has been tested and shown to be in compliance with all specifications.

Lixin An

Production Scientist

01 Nov 2019

Nick Privitera

Packaging Quality Control Inspector

13 Jan 2020



C3040H / Lot: 10064714

Page 2 of 2