

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: NEB® Stable Competent E. coli (High Efficiency)

Catalog Number: C3040H
Packaging Lot Number: 10178260
Expiration Date: 12/2023
Storage Temperature: -80°C

Specification Version: PS-C3040H/I v1.0

NEB® Stable Competent E. coli (High Efficiency) Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
N3041AVIAL	pUC19 Vector	10173306	Pass
C3040HVIAL	NEB® Stable Competent E. coli (High Efficiency)	10167267	Pass
B9035SVIAL	NEB® 10-beta/Stable Outgrowth Medium	10166805	Pass

Assay Name/Specification	Lot # 10178260
Transformation Efficiency 50 µl of NEB® Stable Competent E. coli (High Efficiency) cells were transformed with 100 pg of pUC19 DNA using the transformation protocol provided. Incubation overnight on LB-Ampicillin plates at 37°C resulted in >1 x 10e9 cfu/µg of DNA.	Pass
Blue-White Screening (α -complementation, Competent Cells) NEB® Stable Competent E. coli (High Efficiency) were shown to be suitable for blue/white screening by α -complementation of the β -galactosidase gene using pUC19.	Pass
Phage Resistance (φ 80) 15 μl of untransformed NEB® Stable Competent E. coli (High Efficiency) streaked onto a Rich Broth plate does not support plaque formation by phage φ 80 after incubation for 16 hours at 37°C.	Pass
Antibiotic Sensitivity (Spectinomycin) 15 µl of untransformed NEB® Stable Competent E. coli (High Efficiency) streaked onto a Rich Broth plate containing Spectinomycin will not form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Sensitivity (Kanamycin) 15 µl of untransformed NEB® Stable Competent E. coli (High Efficiency) streaked onto a Rich Broth plate containing Kanamycin will not form colonies after incubation for 16 hours at 37°C.	Pass



C3040H / Lot: 10178260

Page 1 of 2

Assay Name/Specification	Lot # 10178260
Antibiotic Sensitivity (Nitrofurantoin) 15 µl of untransformed NEB® Stable Competent E. coli (High Efficiency) streaked onto a Rich Broth plate containing Nitrofurantoin will not form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Resistance (Tetracycline) 15 µl of untransformed NEB® Stable Competent E. coli (High Efficiency) streaked onto a Rich Broth plate containingTetracycline will form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Resistance (Streptomycin) 15 µl of untransformed NEB® Stable Competent E. coli (High Efficiency) streaked onto a Rich Broth plate containing Streptomycin will form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Sensitivity (Chloramphenicol) 5 µl of untransformed NEB® Stable Competent E. coli (High Efficiency) streaked onto a Rich Broth plate containing Chloramphenicol will not form colonies after ncubation for 16 hours at 37°C.	Pass
Antibiotic Sensitivity (Ampicillin) 15 µl of untransformed NEB® Stable Competent E. coli (High Efficiency) streaked onto a Rich Broth plate containing Ampicillin will not form colonies after incubation for 16 hours at 37°C.	Pass

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Lixin An

Production Scientist

28 Oct 2022

Anna Sorensen

Packaging Quality Control Inspector

24 Jan 2023



C3040H / Lot: 10178260

Page 2 of 2