

be INSPIRED *drive* DISCOVERY *stay* GENUINE

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name:	Luna® Cell Ready One-Step RT-qPCR Kit
Catalog Number:	E3030S
Packaging Lot Number:	10088896
Expiration Date:	04/2022
Storage Temperature:	-20°C
Specification Version:	PS-E3030S v1.0

Luna® Cell Ready One-Step RT-qPCR Kit Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
M3005SVIAL	Luna® Universal One-Step Reaction Mix	10074732	Pass
M3002LVIAL	Luna® WarmStart® RT Enzyme Mix	10073918	Pass
M0474AVIAL	DNasel (RNase-free)	10073104	Pass
M0473AVIAL	Luna® Cell Ready Protease	10073103	Pass
M0469AVIAL	Luna® Cell Ready RNA Protection Reagent	10073102	Pass
B8037AVIAL	Luna® Cell Ready Stop Solution	10073101	Pass
B8036AVIAL	Luna Cell Ready Lysis Buffer	10073100	Pass
B1502AVIAL	Nuclease-free Water	10072020	Pass

Assay Name/Specification	Lot # 10088896
Functional Testing (One-Step RT qPCR) The Luna® Cell Ready One-Step RT-qPCR Kit is functionally tested in One-Step RT-qPCR. The lysate is prepared from approximately 100,000 HeLa cells and is further diluted prior to RT-qPCR, resulting in a standard curve with a calculated qPCR efficiency of 90-110% over a dynamic range of 5 orders of magnitude.	Pass
* Individual Product Component Note Standard Quality Control Tests are performed for each component included in Luna® Cell Ready One-Step RT-qPCR Kit and meet the designated specifications.	Pass

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.





be INSPIRED drive DISCOVERY stay GENUINE

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

Vayanez histii

Christie Vazquez Production Scientist 10 Nov 2020

Michae +110

Michael Tonello Packaging Quality Control Inspector 10 Nov 2020

