

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

## New England Biolabs Certificate of Analysis

Product Name: T7 RNA Polymerase

Catalog Number: M0251S
Concentration: 50,000 U/ml

Unit Definition: One unit is defined as the amount of enzyme that will incorporate 1

nmol ATP into acid-insoluble material in a total reaction volume of 50 µl in 1 hour at 37°C in 1X RNA Polymerase Reaction Buffer.

Packaging Lot Number: 10062698
Expiration Date: 10/2021
Storage Temperature: -20°C

Storage Conditions: 100 mM NaCl , 50 mM Tris-HCl (pH 7.9), 1 mM EDTA , 20 mM BME , 0.1 %

Triton X-100, 50 % Glycerol

Specification Version: PS-M0251S/L v3.0

T7 RNA Polymerase Component List				
<b>NEB Part Number</b>	Component Description	Lot Number	Individual QC Result	
M0251SVIAL	T7 RNA Polymerase	10054652	Pass	
B9012SVIAL	RNAPol Reaction Buffer	10051065	Pass	

Assay Name/Specification	Lot # 10062698
Endonuclease Activity (Nicking) A 50 μl reaction in RNAPol Reaction Buffer containing 1 μg of supercoiled PhiX174 DNA and a minimum of 150 units of T7 RNA Polymerase incubated for 4 hours at 37°C results in <10% conversion to the nicked form as determined by agarose gel electrophoresis.	Pass
Exonuclease Activity (Radioactivity Release) A 50 µl reaction in RNAPol Reaction Buffer containing 1 µg of a mixture of single and double-stranded [ ³H] E. coli DNA and a minimum of 150 units of T7 RNA Polymerase incubated for 4 hours at 37°C releases <0.1% of the total radioactivity.	Pass
Non-Specific DNase Activity (16 Hour) A 50 µl reaction in RNAPol Reaction Buffer containing 1 µg of Lambda DNA and a minimum of 250 units of T7 RNA Polymerase incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	Pass
Promoter Specificity	Pass



M0251S / Lot: 10062698 Page 1 of 2 This product has been tested and shown to be in compliance with all specifications.

37°C. After incubation for 4 hours, >90% of the substrate RNA remains intact as

determined by gel electrophoresis using fluorescent detection.

single-stranded RNA and a minimum of 50 units of T7 RNA Polymerase is incubated at

Dongxian Yue Production Scientist

ongelan

04 Oct 2019

ay Minichiello

Packaging Quality Control Inspector

11 Feb 2020



M0251S / Lot: 10062698

Page 2 of 2