

New England Biolabs Certificate of Analysis

Product Name: Cre Recombinase
Catalog Number: M0298S
Concentration: 1,000 U/ml
Unit Definition: One unit is defined as the amount of enzyme necessary to produce maximal site-specific recombination of 0.25 µg pLox2+ control DNA in 30 minutes at 37°C in a total reaction volume of 50 µl. Maximal recombination is determined by agarose gel analysis and by transformation of reactions followed by sel

Lot Number: 10008890
Expiration Date: 06/2019
Storage Temperature: -20°C
Storage Conditions: 15 mM Tris-HCl, 250 mM NaCl, 50 % Glycerol, 0.3 mg/ml BSA, (pH 8.0 @ 25°C)
Specification Version: PS-M0298S/L v1.0

| Cre Recombinase Component List | | | |
|--------------------------------|---------------------------------|------------|----------------------|
| NEB Part Number | Component Description | Lot Number | Individual QC Result |
| N0416SVIAL | Control DNA Linearized pLox2+ | 10011026 | Pass |
| M0298SVIAL | Cre Recombinase | 10008891 | Pass |
| B0298SVIAL | Cre Recombinase Reaction Buffer | 0011707 | Pass |

| Assay Name/Specification | Lot # 10008890 |
|--|----------------|
| Non-Specific DNase Activity (16 Hour) A 50 µl reaction in Cre Recombinase Reaction Buffer containing 1 µg of PhiX174 RF 1 (HaeIII digested) DNA and a minimum of 10 units of Cre Recombinase incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis. | Pass |
| Exonuclease Activity (Radioactivity Release) A 50 µl reaction in Cre Recombinase Reaction Buffer containing 1 µg of a mixture of single and double-stranded [³ H] E. coli DNA and a minimum of 10 units of Cre Recombinase incubated for 4 hours at 37°C releases <0.1% of the total radioactivity. | Pass |

This product has been tested and shown to be in compliance with all specifications.

Lauren Higgins

Lauren Sears Higgins
Production Scientist
31 May 2018

Michael Tonello

Michael Tonello
Packaging Quality Control Inspector
13 Jun 2018