

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

## New England Biolabs Certificate of Analysis

Product Name: Luna® Probe One-Step RT-qPCR 4X Mix with UDG (No ROX)

Catalog Number: M3029L

Concentration: 4 X Concentrate

Packaging Lot Number: 10150265
Expiration Date: 03/2023
Storage Temperature: -20°C

Specification Version: PS-M3029S/L/E v1.0

Composition (1X): Proprietary

Luna® Probe One-Step RT-qPCR 4X Mix with UDG (No ROX) Component List					
<b>NEB Part Number</b>	Component Description	Lot Number	Individual QC Result		
M3029LVIAL	Luna Probe One-Step RT-qPCR 4X Mix with UDG (No ROX)	10146245	Pass		
B1502AVIAL	Nuclease-free Water	10145291	Pass		

Assay Name/Specification	Lot # 10150265
Functional Testing (One-Step RT-qPCR) Luna® Probe One-Step RT-qPCR 4X Mix with UDG (No ROX) is functionally tested in one-step RT-qPCR with human RNA template, resulting in a standard curve with a calculated qPCR efficiency of 90-110%, and a dynamic range of 8 orders of magnitude.	Pass
Non-Specific DNase Activity (16 hour, Buffer) A 50 µl reaction in 1X Luna® Probe One-Step RT-qPCR Mix with UDG (No ROX) containing 1 µg of T3 or T7 DNA in addition to a reaction containing Lambda-HindIII DNA incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	Pass
RNase Activity (Extended Digestion) A 10 µl reaction in NEBuffer 4 containing 40 ng of a 300 base single-stranded RNA and a minimum of 1 µl of Luna® Probe One-Step RT-qPCR 4X Mix with UDG (No ROX) is incubated at 37°C. After incubation for 4 hours, >90% of the substrate RNA remains intact as determined by gel electrophoresis using fluorescent detection.	Pass
qPCR DNA Contamination (E. coli Genomic) A minimum of 1 μl of Luna® Probe One-Step RT-qPCR 4X Mix with UDG (No ROX) is screened for the presence of E. coli genomic DNA using SYBR® Green qPCR with primers	Pass



M3029L / Lot: 10150265

Page 1 of 2

Assay Name/Specification	Lot # 10150265
specific for the E. coli 16S rRNA locus. Results are quantified using a standard	
curve generated from purified E. coli genomic DNA. The measured level of E. coli	
genomic DNA contamination is ≤ 1 E. coli genome.	

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Christie Vazquez Production Scientist 25 May 2022 Michael Tonello

Packaging Quality Control Inspector

25 May 2022

