

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: M13K07 Helper Phage

Catalog Number: N0315S

Concentration: 1 x10e11 pfu/ml Packaging Lot Number: 10160291

Expiration Date: 07/2024
Storage Temperature: -20°C

Storage Conditions: 1X PBS, 50% Glycerol

Specification Version: PS-N0315S v1.0

M13K07 Helper Phage Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
N0315SVIAL	M13K07 Helper Phage	10148416	Pass

Assay Name/Specification	Lot # 10160291
Viable Cell Titer Plating a 300 µl suspension of M13KO7 Helper Phage for viable cells on LB agar yields a titer of <1 x 10 ² cfu/ml.	Pass
Absolute Phage Titer Infection of a mid-log culture of E. coli ER2690 with M13KO7 Helper Phage followed by plating, yields ≥ 1 x 1011 pfu/ml.	Pass
Functional Testing (Helper Ratio) Superinfection of an early-log culture of E. coli ER2738/pLITMUS 38 with 3 x 108 pfu/ml M13KO7, followed by incubation for 18 hours in the presence of 70 μg /ml kanamycin yields > 10-fold excess of packaged phagemid DNA over helper phage.	Pass

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.



N0315S / Lot: 10160291

Page 1 of 2

Alicia Bielik
Production Scientist
08 Aug 2022

Michael Tonello

Packaging Quality Control Inspector

08 Aug 2022