

be INSPIRED drive DISCOVERY stay GENUINE

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name:	pBR322 Vector
Catalog Number:	N3033L
Concentration:	1,000 μg/ml
Unit Definition:	N/A
Packaging Lot Number:	10109204
Expiration Date:	05/2023
Storage Temperature:	-20°C
Storage Conditions:	10 mM Tris-HCI (pH 8.0), 1 mM EDTA
Specification Version:	PS-N3033S/L v1.0

pBR322 Vector Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
N3033LVIAL	pBR322 Vector	10109205	Pass	

Assay Name/Specification	Lot # 10109204
Restriction Digest (Linearization) A 50 μ l reaction in NEBuffer 2.1 containing 5 μ g of pBR322 Vector DNA and 20 units of HindIII incubated for 1 hour at 37°C produces > 95% linearization resulting in a single band of approximately 4361 bp as determined by agarose gel electrophoresis.	Pass
Electrophoretic Pattern (Plasmid) The banding pattern of pBR322 Vector on a 1.2% agarose gel is evaluated against a control lot for sharpness and relative intensity as determined by gel electrophoresis using Ethidium Bromide.	Pass
DNA Concentration (A260) The concentration of pBR322 Vector is between 1000 and 1050 μ g/ml as determined by UV absorption at 260 nm.	Pass
A260/A280 Assay The ratio of UV absorption of pBR322 Vector at 260 and 280 nm is between 1.8 and 2.0.	Pass
Non-Specific DNase Activity (DNA, 16 hour) A 50 µl reaction in 1X NEBuffer 2 containing 5 µg of pBR322 Vector incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	Pass





be INSPIRED drive DISCOVERY stay GENUINE

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Ana Egana Production Scientist 23 Jun 2021

Michae 110

Michael Tonello Packaging Quality Control Inspector 23 Jun 2021

